

## CORRECTED VERSION

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
25 January 2001 (25.01.2001)

PCT

(10) International Publication Number  
**WO 01/005247 A1**

- (51) International Patent Classification<sup>7</sup>: **A23L 1/0562**
- (21) International Application Number: PCT/US00/17975
- (22) International Filing Date: 30 June 2000 (30.06.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
09/353,741 14 July 1999 (14.07.1999) US
- (71) Applicant (for all designated States except US): **NORTH CAROLINA STATE UNIVERSITY** [US/US]; 1 Holladay Hall, Campus Box 7003, Raleigh, NC 27695-7003 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **HUDSON, Heather, M.** [US/US]; 3033 Apt. F, Dorner Circle, Raleigh, NC 27606 (US). **DAUBERT, Christopher, R.** [US/US]; 900 Brittlely Way, Apex, NC 27502 (US). **FOEGEDING, Edward, A.** [US/US]; 2309 Weymouth Court, Raleigh, NC 27612 (US).
- (74) Agent: **SIBLEY, Kenneth, D.**; Myers, Bigel, Sibley, & Sajovec, P.A., P.O. Box 37428, Raleigh, NC 27627 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:  
— with international search report
- (48) Date of publication of this corrected version:  
25 July 2002
- (15) Information about Correction:  
see PCT Gazette No. 30/2002 of 25 July 2002, Section II
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: THERMAL AND PH STABLE PROTEIN THICKENING AGENT AND METHOD OF MAKING THE SAME

(57) Abstract: A dry protein product useful as a thickening agent and fat substitute is provided. The powder can be readily reconstituted at room temperature, or refrigerated conditions, and can be used in frozen or refrigerated foods, at room temperature, and in cooking applications. When reconstituted the product preferably has a creamy, non-gritty texture, although texture and consistency of the product can be adjusted depending upon the desired application. The dry powder of the invention may be prepared by hydrolyzing a protein preparation (typically, a whey protein preparation) to produce a hydrolyzed whey protein preparation; then gelling the hydrolyzed whey protein preparation to form a whey protein gel; then drying the whey protein gel; and powdering the whey protein gel. Food products containing the powder in hydrated form, including both frozen dessert products, beverages and cooked products, are also disclosed.

WO 01/005247 A1

- 1 -

5                   **THERMAL AND PH STABLE PROTEIN THICKENING**  
                    **AGENT AND METHOD OF MAKING THE SAME**

                    Heather M. Hudson, Christopher R. Daubert, and Edward A. Foegeding

10

**Field of the Invention**

                    The present invention is concerned with protein products, particularly whey protein products, that can be used as fat substitutes, thickening agents, water binders and the like, and methods of making the same.

15

**Background of the Invention**

                    Patients who have difficulty swallowing (dysphagia) resulting from nerve or structural damage to the upper digestive tract have difficulty safely consuming liquids. Accordingly, such patients typically use commercially available thickening agents to  
20 safely consume nutritionally adequate amounts of foods and liquids. *See generally* C. Pelletier, *Dysphagia* 12, 74-78 (1997).

                    Pregelatinized starch, also known as cold-water-soluble starch, is available as a thickening agent (*see, e.g.,* BeMiller and Whistler, Ch. 4 in *Food Chemistry*, pg 204, (O. Fennema Ed. 3d ed. 1996)). Such materials are conveniently provided in dry powder form  
25 and can be readily reconstituted in a variety of foods and beverages to increase the viscosity thereof. However, such materials do not serve as a source of protein, and obviously serve as an additional source of carbohydrate. For dysphagia patients, where food consumption is difficult, it is desirable to find ways to allow the patients to increase protein consumption, and/or decrease carbohydrate consumption. Accordingly, there is a  
30 need for a dry protein product that can be used as a viscosity modifying agent.

- 2 -

Dry protein products that can be used as a thickening agent are not simple to produce. To be useful as a thickening agent the product must be conveniently mixed in a variety of foods, at a variety of pH, temperature, and other conditions. Such a product would be a "cold-set" protein gel, but the production of cold set protein gels has been  
5 difficult. C. Bryant and D. Clements (*Trends in Food Science and Technology* 9, 143 (1998)), describe progress towards cold-setting whey protein ingredients, but do not describe a dry powder that can be used to produce a cold-set protein gel.

In the nutraceutical and food industries, there has been considerable interest in the development of fat substitutes. Protein-based fat substitutes such as SIMPLESSE® are  
10 attractive from a nutritional perspective, and protein-based fat substitutes derived from a dairy product such as whey protein are particularly attractive. Thickening agents would possess many of the features desired in a fat substitute. However, some products that have been developed as fat substitutes to date lack thermal stability and are difficult to use in baked products, or have not been provided in dry powder form. A variety of such  
15 products are reviewed in G. Ziegler, U.S. Patent No. 5,147,677 (*See also* N. Singer, U.S. Patent No. 4,855,156). Accordingly, there is a need for a dry powder protein product that can be used in a variety of food applications.

### Summary of the Invention

20 Disclosed herein is a dry protein product useful as a thickening agent (e.g., for making cold-set protein gels) and fat substitute. The powder can be readily reconstituted at room temperature, or refrigerated conditions, and can be used in frozen, refrigerated, room temperature, or cooked foods. When reconstituted the product preferably has a creamy, non-gritty texture, although texture and consistency of the product can be  
25 adjusted depending upon the desired application.

The dry powder of the invention may be produced by hydrolyzing a protein preparation (preferably a solution) (typically, a whey protein preparation) to produce a hydrolyzed whey protein preparation; then gelling the hydrolyzed whey protein

- 3 -

preparation to form a whey protein gel; then drying the whey protein gel; and powdering the whey protein gel.

Also disclosed are formulated edible food products for human consumption that normally contain fat in a sufficient concentration to make an organoleptic contribution to the food product; wherein at least a portion of the fat in said food products is replaced with a rehydrated dry protein powder, with said dry protein powder being as described above. Methods of making the same are also disclosed.

Food products containing a rehydrated dry protein product of the invention as a thickening agent, and methods of making the same, are also disclosed.

Food products containing a rehydrated dry protein product of the invention as a water binder, and methods of making the same, are also disclosed.

The foregoing and other objects and aspects of the present invention are explained in detail in the drawings herein and the specification set forth below.

#### **Brief Description of the Drawings**

**Figure 1a** shows gel type classification for 45 minute gels using vane fracture.

**Figure 1b** shows gel type determination for 3 hour gels using vane fracture.

**Figure 1c** shows gel type determination of 45 minute and 3 hour FS-II gels using vane fracture.

**Figure 2** shows particle size analysis of dried, ground, whey protein gels.

**Figure 3** shows the apparent viscosity of soluble gels under shear at 25°C.

**Figure 4** shows the temperature effects of averaged apparent viscosity from shear ramps for sample 6 gels.

**Figure 5** shows the temperature ramp (5 to 90 and back to 5 °C for sample 6 at 46s<sup>-1</sup>.

**Figure 6** shows the effects of pH on averaged apparent viscosity for sample 6.

**Figure 7a** shows a frequency sweep for sample 6.

**Figure 7b** shows a frequency sweep for sample 6.

- 4 -

### Detailed Description of Preferred Embodiments

Whey protein is widely available as a by-product of the cheese manufacturing industry. Any whey protein can be used to carry out the present invention, including but not limited to dried whey powder or concentrated (*i.e.*, liquid) whey preparations.

5 Numerous techniques for manufacturing whey protein are known, including but not limited to those described in U.S. Patent No. 4,036,999 to Grindstaff and U.S. Patent No. 3,930,039 to Kuipers. (the disclosures of all U.S. patent references cited herein are to be incorporated herein by reference in their entirety). Currently preferred is a commercial whey protein isolate containing approximately 91 percent (w/w) protein, available as  
10 BIPRO™ from Divisco International Inc. (LeSueur, Minnesota USA.).

While whey protein is preferred for practicing the present invention, other sources of protein can also be used, particularly soy protein and egg albumin (including fresh, refrigerated, frozen or dried egg white).

The protein may be hydrated for hydrolysis as necessary by combining it with  
15 water, typically by adding it to water at room temperature with stirring. The amount of protein in the hydrated protein preparation is not critical. For example, preparations of from about 1, 2 or 5 to 15 or 20 percent (weight/weight) of protein may be used. Additional ingredients such as salts may be included in the preparation if desired. The preparation may be a solution, dispersion, microemulsion, emulsion or the like, but  
20 solutions are preferred.

After hydration, hydrolysis of the protein may be carried out by any suitable means, including acid hydrolysis and enzyme hydrolysis. Acid hydrolysis is currently preferred.

For acid hydrolysis, a suitable acid can be added to the hydrated protein  
25 preparation to adjust the pH thereof to an acid pH, typically a pH of about 1, 2 or 3 to about 4, 5 or 6, and the hydrated protein preparation held for a time and at a temperature sufficient to achieve the desired degree of hydrolysis. Suitable acids for acid hydrolysis include, but are not limited to, hydrochloric acid, sulfuric acid, citric acid, acetic acid, phosphoric acid, polyphosphoric acid, and phytic acid, as well as organic acids such as,  
30 for example, oxalic acid, succinic, maleic acid, fumaric acid, lactic acid, and others.

- 5 -

For enzyme hydrolysis a suitable enzyme or enzyme system can be added to the hydrated protein preparation, and the preparation then held for a time and at a temperature (and at a pH) sufficient to achieve or produce the desired degree of hydrolysis. Enzymes or enzyme systems suitable for hydrolyzing proteins such as whey  
5 are known, and are typically proteases or combinations thereof. Examples are given in U.S. Patent No. 4,847,096 to Mellqvist et al., U.S. Patent No. 5,589,357 to Martinez et al., and U.S. Patent No. 3,970,520 to Feldman et al.

Hydrolysis, whether by acid hydrolysis or enzyme hydrolysis, should be carried out in a manner that provides the desired degree of hydrolysis. In general, the degree of  
10 hydrolysis will be sufficient to achieve the desired type of gel in the gelling or gelation step discussed below. Typically, "degree of hydrolysis" is defined as the amount, in percentage, of peptide bonds that have been cleaved during the hydrolysis step (See U.S. Patent No. 4,847,096 to Mellqvist et al. at column 2 lines 30-36). The degree of hydrolysis will be sufficient to achieve the desired gel as noted below, with degrees of  
15 hydrolysis of .5, 1 or 2 up to 4 or 5 being representative.

Gelation can be carried out in accordance with known techniques. *See, e.g.*, U.S. Patent No. 4,251,562 to LeGrand et al.; U.S. Patent No. 4,636,388 to Lin et al., and U.S. Patent No. 5,217,741 to Kawachi et al. Thermal gelation of proteins such as whey protein is a two-stage process, involving an initial unfolding and subsequent aggregation  
20 of protein molecules (M. Verheul et al., *Langmuir* 14, 2263 (1998); J. DeWit et al., *Journal of Dairy Science* 67, 2701 (1984)). When native proteins are heated above 65-70° C, they partially unfold as physical forces favoring unfolding, mainly configurational entropy, increase above those forces favoring folding, hydrophobic interactions (C. Bryant et al., *Trends in Food Science & Technology* 9, 143 (1998)). Once the whey  
25 proteins have been heated to unfolding temperatures, they may either aggregate or remain unfolded as individual molecules, depending on the balance of attractive and repulsive interactions. In general, changes in the gelation environment may alter protein-protein and protein-solvent interactions by shifting the balance of attractive and repulsive forces (predominantly, electrostatic and hydrophobic interactions and hydrogen bonding). This

- 6 -

shift consequently affects the rates of unfolding and aggregation, resulting in different gel structures (Q. Tang et al., *Journal of Dairy Research* 62, 469 (1995)). Protein unfolding and aggregation are particularly sensitive to pH and ionic strength due to the dependence on electrostatic interactions.

5       The networks formed in WPI gelation contributes to the texture, water holding and appearance of the gel. Gels are grouped as particulate, fine-stranded (FS) or mixed networks. The type of gel matrix formed is determined by pH, solutes and gelation kinetics. Protein molecules are charged at pH values significantly higher or lower than their isoelectric points (pI) and an appreciable electrostatic repulsion opposing  
10 intermolecular protein-protein interactions is present (E. Foegeding et al., in *functional Properties of Proteins and Lipids*, pp145-157 (J. Witaker et al. Eds. 1998)). At low salt concentrations the electrostatic repulsion can be so significant that protein-protein interactions are limited and gelation is prevented (D. McClements et al., *Journal of Texture Studies* 24, 411 (1993)). As the salt concentration is increased (<0.1M) the  
15 charges are partially shielded and a transparent filament gel is formed (E. Doi, *Trends in Food Science & Technology* 4, 1-5 (1993)). Gels produced under these conditions contain a fine-stranded microstructure and translucent appearance (D. McClements et al., *Journal of the Science of Food and Agriculture* 69, 7 (1995)). At neutral pH and salt concentrations high enough to completely shield electrostatic repulsion (>0.1 M),  
20 attractive forces dominate and protein aggregation may be so extensive that protein molecules form large particles, typically a few  $\mu\text{m}$  in diameter (P. Kuhn et al., *Journal of Food Science* 56, 789 (1991)). The resulting turbid, particulate gels have an opaque milky-white appearance due to large aggregates scattering light. Mixed gels, the final subset, possess physical and functional properties of both fine-stranded and particulate,  
25 and are produced with intermediate salt concentrations (E. Foegeding et al., *supra* (1998)). The condensing of linear strands into larger aggregates is thought to be the causal mechanism for mixed gel formation.

The textures of each gel type can be characterized by rheological properties, fracture stress and deformation, and physically with appearance and water-holding

- 7 -

analyses (Table 1). Holding protein concentration and processing temperature constant, the value of these parameters will vary according to the processing conditions such as heatint time and solution conditions, including pH and salt. For example, while fine-stranded gels formed above or below the pI have a similar translucent appearance,

5 stranded gels formed above the pI (FS-I) are strong and eleastic whereas those formed below the pI (FS-II) have a weak, brittle structure (E. Foegeding et al., *supra* (1998)). Therefore, while FS-I gels and FS-II gels possess the same appearance, their rheological properties are different due to varying amounts of intramolecular interactions at reduced pH. In addition, WPI gels with well cross-linked, fine-stranded (FS-I) microstructures

10 hold water better than gels with particular microstructures (E. Bowland et al., *Food Hydrocolloids* 9, 47 (1995)). The increasing salt concentrations found in particulate gels result in an increase to the effective pore size of the matrix, consequently water-holding capacities of the gels decrease as salt concentrations incrrcrease. Mixed gels have intermediate water holding properties with large fracture stresses and low deformability.

15 In carrying out the present invention, gelling carried out at a pH of 4 or less are preferred, which conditions cause the formation of a weak gel structure (*i.e.*, a gel structure characterized by fewer protein networks, with those networks formed being fine-stranded networks, and which gel fractures below 10, and more preferably below 5, KPa (kiloPascals) in a vane fracture test). Gelling conditions that favor or cause the

20 formation of FS-II gels are particularly preferred.

After gelling, the gelled protein preparation is dried. Drying can be carried out by any suitable technique, including but not limited to freeze-drying, dehydrating, and spray drying. Spray drying may be used to concurrently carry out the powdering step, as noted above. Freeze drying is currently preferred.

25 The dried protein preparation is powdered as necessary by crumbling, grinding or the like to the desired particle size. A powder with an average particle size of from 1 or 2  $\mu\text{m}$  up to 50 or 100  $\mu\text{m}$  is preferred. In a current embodiment, the average particle size is about 25  $\mu\text{m}$ . Powdering may be achieved concurrently with drying when spray-drying



- 8 -

is employed, as noted above, or further grinding or powdering by mechanical means may be employed.

Once powdered, the present invention provides a dry protein product useful as a thickening agent, fat substitute, water binding agent or the like. The product comprises a dry powder produced by hydrolyzing, gelling, drying and powdering a whey protein, as explained above. The powder is characterized by a viscosity of at least one-half or one pascal second at 46 reciprocal seconds for one half hour in a steady state shear test at 25°C when reconstituted as a 10% weight/weight solution in deionized water at a pH of 4 or when adjusted to a pH of 8 as well. The powder is preferably characterized by such viscosity when the same tests are conducted at 5°C (for powders to be used in frozen products); the powder is preferably characterized by such viscosity when the same tests are conducted at 50°C or even 75°C (for products that are cooked, or to be cooked).

The powder is further characterized by a phase angle of five to forty degrees (and preferably less than 20 degrees) at frequencies of from .01 to 20 Hertz in a frequency sweep test at 25°C when reconstituted as a 10% weight/weight solution in deionized water.

The powder is further characterized by a solubility of at least 50%, and more preferably at least 70%, at 25°C when reconstituted as a 1% weight/weight solution in deionized water at a pH of 7. Percent solubility is determined by centrifuging the said solution at 20,000 x gravity for 15 minutes and measuring absorbance at 280 nanometers on a sample aliquot diluted 1:10 volume/volume in dissociating buffer (50 mM EDTA, 8 M urea at pH 10). Solubility is obtained from the absorbance ratio of the supernatant to that of the dispersion before centrifugation (Britten et al., *Journal of Dairy Science* 77, 676 (1994)). 50% or 70% soluble refers to samples having over 50% or 70% suspended particles, respectively (as compared to the native protein isolate from which the powder is prepared) after centrifugation at pH 7.0.

The dry powder described above can be combined with other ingredients, such as emulsifying agents stabilizing agents, anti-caking, anti-sticking agents and the like. Representative stabilizing agents are gums, which include naturally occurring plant

- 9 -

polysaccharides such as obtained from trees, seeds, seaweed and microbes, including gum arabic, acacia, tragacanth, karaya, larch, ghatti, locust, guar, agar, algin, carrageenan, furcellaran, xanthan, pectin, certain proteins such as gelatins, plus certain chemical derivatives of cellulose.

5       The dry powder can be combined with a cold-water-soluble starch or "pregelatinized starch" to provide a thickening agent or fat substitute with both protein and carbohydrate components, depending upon particular dietary and cost considerations. (BeMiller and Whistler, *supra* pg 204). Pregelatinized corn starch is preferred. A pregelatinized starch can be included in the dry powder in any suitable amount such as  
10 from 1 or 2 percent to 80 or 90 percent by weight to provide a combination protein and carbohydrate-based thickening agent or fat substitute.

The dry powder can be packaged in screw-top or sealed polymeric containers for consumer use in accordance with known techniques, or can be rehydrated in an aqueous liquid and provided as a liquid concentrate to consumers or other end users. The dry  
15 powder can be used as a thickening agent for dysphagia patients or for people who simply desire a protein-based alternative to the usual starch-based thickening agents. In addition to use as a thickening agent, the dry powder can be used as a fat substitute, as a water binder, or as combinations thereof, as discussed below.

In use as a fat substitute, the dry powder can be combined with a food product in  
20 the same manner as the egg white product described in U.S. Patent No. 5,147,677 to Ziegler to produce a formulated edible food product for human consumption normally containing fat in a sufficient concentration to make an organoleptic contribution to said food product (typically from 1 or 2 percent by weight to 50 or 60 percent by weight); wherein at least a portion of the fat (*e.g.*, 1, 2 or 5 percent by weight to 20, 50 or 100  
25 percent by weight of the total fat) in the food product is replaced with a hydrated protein powder of the present invention. Because water is present in the food product (either through the addition of water or its presence in ingredients such as eggs or milk), the dry protein powder is rehydrated in the food product. Of course, the dry powder can be rehydrated prior to or during its combination with some or all of the other ingredients of  
30 the food product. Mixing of the ingredients can be carried out in any suitable manner,

- 10 -

such as with a blender, stirring, shaking or the like, to uniformly mix or disperse the rehydrated dry powder through the food product (or, in the case of a combination product such as a pie and filling, to uniformly mix the rehydrated dry powder through that portion of the product in which it is contained).

5           When used as a thickening agent, the powder is combined with the other ingredients of the food product in an amount sufficient to thicken or increase the viscosity of the food product (typically 1 or 2 percent to 50 or 60 percent by weight of the total weight of the product), in like manner and as described for the fat substitute food products noted above.

10           When the powder is used as a water binder, the powder is combined with the other ingredients of the food product in an amount (typically 1 or 2 percent to 50 or 60 percent by weight of the total weight of the product) sufficient to increase the amount of water retained in or bound in the food product, in like manner as described for the fat substitute food products above.

15           The powder of the invention may of course serve multiple functions in a single food, as a fat substitute, binder, and/or thickening agent, to facilitate foaming, etc., and identification of one function herein is not intended to exclude that the ingredient is performing other functions.

          The typical solid food product will constitute from 1 or 2 percent to 50, 60, or 70  
20 percent by weight water (from all sources), or more. The typical liquid (including thickened liquid) food product will typically constitute 40 or 50 percent to 90, 95 or even 99 percent by weight water (from all sources). Other ingredients of a solid food product will typically constitute from 10 or 20 percent to 50, 60 or 70 percent by weight. Other ingredients of a liquid (including thickened liquid) food product will typically constitute  
25 from 1 or 2 percent up to 40 or 50 percent by weight, and occasionally more. These percentages are provided as general guidelines only; sometimes water is included in the weight of "dry" ingredients which are not fully dehydrated, and of course in no case do the total amounts of all ingredients exceed 100 percent, thus, it is preferred to define food products of the invention simply by reference to the amount by weight of the dry powder  
30 protein preparation added thereto.

- 11 -

Specific examples of food products that can be prepared with the dry powder protein preparation described herein include dessert products or dairy products such as ice cream, custard or the like; cooked products or flour-based products such as bread, cookies, brownies, cheese cake, pie, other snack foods and the like; beverages such as a milk shake or other shake, fruit juices and the like; a health supplement, nutritional supplement, or medical food product such as a beverage or bar; sauces, dips, spreads, icings and cream pie fillings and the like, in the same manner as the fat substitutes described in U.S. Patents Nos. 5,413,804 to Rhodes, 4,985,270 to Singer et al., and 4,855,156 to Singer et al.

10 To manufacture such food products, the dry powder described above can be combined, typically by mixing, with one or more other ingredients, such as various combinations of flour, sugar, eggs, oil, milk, water, cheese, meat, nuts, fruit, salt, fat, water, fruit juice, vegetables, leavening agents, preservatives, etc., depending upon the particular formulated food product being prepared. The dry powder of the invention  
15 may be rehydrated before or during the combining step by adding an aqueous ingredient such as water or milk (thus, the various ingredients may be combined in any suitable order). The product can then be frozen, refrigerated, or cooked, depending upon the particular type of product, and stored for further use. Cooking can be carried out by any suitable thermal process at any suitable temperature, typically from 25°C to 90 or 110°C  
20 (preferably less than 100°C), for up to one-half hour or one hour or more, depending upon the particular product being prepared. Thus, some products can be prepared in the home by the consumer, and other products can be prepared in a commercial manufacturing plant for repackaging and reselling as a finished food product, or as a further ingredient for restaurant or institutional use or the like.

25 Products prepared with the powder of the present invention can be foamed by subjecting them to shear forces to introduce air pockets or bubbles throughout the product, by whipping, beating, extruding or the like, in accordance with known techniques. The dry powder of the present invention can be prepared to impart excellent

- 12 -

foaming properties to the food product in which it is incorporated and used to create a long shelf-life (e.g., up to 4 or 5 months or more) foamed product.

The present invention is explained in greater detail in the following non-limiting Examples.

5

## EXAMPLES

### Physical and Rheological Properties of Derivatized

### Whey Protein Isolate Capable of Forming Cold-set Gels

#### 1. Materials and Methods.

10 All materials used for this research were food grade. A commercial whey protein isolate (WPI) powder (lot # JE057-7-420), containing approximately 91.2% (w/w) protein ( $N \times 6.38$ , micro-Kjeldahl, AOAC 1984) was used for the experiments (Bipro, produced by Divisco International Inc. Le Sueur, MN). All chemicals, NaCl,  $CaCl_2$ , NaOH, and HCL were purchased from Fisher Scientific Company (Fair Lawn, NJ).

15 *Preparation of Protein Dispersions and Gels.* WPI powder was hydrated (12% w/w) in 0-50 mM NaCl and/or 0-20 mM  $CaCl_2$  solutions made with double-distilled water for 1 hour by slow stirring, degassed under vacuum for 1 hour to remove visible air bubbles, and brought to volume with double-distilled water. The pH for FS-II gel protein dispersions was adjusted to 4.0 or 3.5 with 6 N HCl or 6 N NaOH. WPI gels were  
20 produced by heating the dispersions in aluminum freeze-drier pans (13.5 cm x 13.5 cm) at 80 °C for 45 minutes or 3 hours according to the procedure in Foegeding (Journal of Texture Studies 23, 337 (1992)).

*Gel Type Determination.* Vane fracture tests and water holding trials were conducted to determine gel type: particulate, mixed, FS-I, or FS-II.

25 *Vane Analysis.* The vanes consisted of four identical stainless steel blades (23 gage) fixed to a center shaft. Two vanes with similar heights (H) of 20 mm and varying diameters (D) of 10 and 8 mm were inserted flush with the gel sample in aluminum pans and rotated with a Haake VT550 viscometer (Paramus, NJ) at a speed of 0.5 rpm until fracture. Tests were performed nine times for each gel, and peak torque

- 13 -

( $M_f$ ) and time at fracture ( $t_f$ ) were recorded. Stress ( $\sigma_f$ ) and vane rotation at fracture ( $\theta_f$ ) ( $\propto$  strain) were calculated according to Daubert et al. (*Journal of Texture Studies* 29, 427 (1998)).

Eq. 1

$$\sigma_f = \frac{2M_f}{\pi D^3} \left( \frac{H}{D} + \frac{1}{6} \right)^{-1}$$

5

Eq. 2

$$\theta_f = \text{tr} \left( \frac{\pi \text{ (rad)}}{60 \text{ (s)}} \right)$$

*Gel Powder Production.* After thermal gelation, gels were held at 25 °C until internal temperature was less than 40 °C. Gels were then placed in a freezer for 16-18 hours at -5 °C. Frozen gels were dried in a 10-145-MR-TR Mechanically Refrigerated Freeze-Mobile freeze dryer with tray drying chamber (Virtis Research Equipment, Gardiner, New York USA). Shelf temperature was held between 26.7-37.8 °C with the 10-701 Control unit (Virtis Research Equipment, Gardiner, NY) with thermocouple inserted into the center of the gel. Gels were dried until moisture content was below 5%, as determined by a Computrac Max-50 Moisture Analyzer (Arizona Instrument Corp. Tempe, Arizona USA). Dried gels were crushed by hand, stored in airtight bags for 18 hours, and ground using a ZM-1 Brinkman Centrifugal Grinding Mill with a 24-tooth stainless-steel rotor (Brinkman Instruments Co., Westbury, New York USA) at 10,000 rpm for 60 seconds and a screen size of 50 mm. Average particle size of ground protein powder was 27.3  $\mu\text{m}$  as determined by a Centrifugal Particle Size Analyzer SA-CP4 (V1.0) (Shimadzu Corporation, Kyoto, Japan). Finally, protein gel powders were stored at 25 °C in airtight bags.

*Solubility Determination.* Milled protein powders were dispersed (1% w/w) in deionized water and the pH adjusted with either 6N NaOH or 6N HCl to 7.0. Dispersions were centrifuged at 20,000  $\times g$  for 15 min and solubility was obtained from the

25

- 14 -

absorbance ratio of the supernatant and the dispersion before centrifugation. Absorbance was measured at 280 nm on a sample aliquot diluted 1:10 (vol/vol) in dissociating buffer (50 mM EDTA, 8 M urea at pH 10) (Britten et. al., *Journal of Dairy Science* 77, 676 (1994)). The term "soluble" was used to define samples having over 70% suspended  
5 particles after centrifugation at pH 7.0.

*Differential Scanning Calorimetry.* A Perkin Elmer DSC 7 (The Perkin Elmer Corporation, Norwalk, Connecticut USA) differential scanning calorimeter was used to assess the thermal denaturation of the gel powders for each processing condition. The DSC was calibrated and allowed to equilibrate for one hour prior to analysis. Dried  
10 protein powder was hydrated (10% w/w) and 20  $\mu$ L was loaded into an aluminum capsule and hermetically sealed. A similarly weighted, aluminum pan was filled with deionized-water and used as the reference. The scanning temperature was raised from 5 to 110 °C at a rate of 5 °C/min. Temperature at peak height and peak area was recorded.

*Electrophoresis.* The soluble protein samples were analyzed for hydrolysis by  
15 SDS-PAGE (sodium dodecylsulfate-polyacrylamide gel electrophoresis) with a Novex Midget electrophoresis unit (Novex, Novel Experimental Technology, San Diego, California USA). All procedures were followed according to the NuPAGE gel procedure for a Bis-Tris (MES) gel. A 30  $\mu$ l aliquot of 0.1% protein was injected into each well of the 10 wellled, 4-12% gradient polyacrylamide gel (Novex, Novel Experimental  
20 Technology, San Diego, CA). The gel was stained with a 0.1% Coomassie Blue solution (45% water, 45% methanol, 10% acetic acid) (Pierce Chemical Company, Rockford Illinois USA). A Molecular Dynamics personal densitometer (Molecular Dynamics, Sunnyvale, California USA) was used to determine the major protein species hydrolyzed by the various processing conditions. In addition, the densitometer allowed  
25 quantification of the hydrolyzed protein bands and their molecular weight range based on the MultiMark multi-colored standard used (Novex, Novel Experimental Technology, San Diego, CA).

*Rheological Analysis.* The protein powders were hydrated (10% w/w) and tested rheologically. Once solutions were placed in the measuring cup and the bob immersed in

- 15 -

the sample, solutions were coated with a thin layer of paraffin oil from Fisher Scientific Company (Fair Lawn, New Jersey USA) to prevent moisture loss.

*Shear Rate Ramps.* Tests were conducted on a Bohlin VOR Controlled Strain Rheometer (Bohlin Reoligi AB, Lund, Sweden) using a concentric cylinder geometry (C14). Selected shear rates were ramped from 0.9 to 116.0 s<sup>-1</sup> and back to 0.9 s<sup>-1</sup> for 650 s. Fresh samples were sheared at temperatures of 25, 50 and 75 °C

*Temperature Ramps.* Tests were conducted on a Bohlin VOR Controlled Strain Rheometer using a concentric cylinder geometry (C14). Temperatures were ramped from 5 to 90 °C and back to 5 °C at a shear rate of 46 s<sup>-1</sup> for 2220 s.

10 *pH Stability.* Tests were conducted on a Bohlin VOR Controlled Strain Rheometer using a concentric cylinder geometry (C14). Stability was tested at pH 4.0 and 8.0 at 25 °C and shear rates were ramped from 0.9 to 116.0 s<sup>-1</sup> and back to 0.9 s<sup>-1</sup> for 650 s.

*Frequency sweeps.* Analysis was performed on a StressTech Controlled Stress  
15 Rheometer (ReoLogica Instruments AB, Lund, Sweden) using a concentric cylinder geometry (CC25). Stress was held at 1.0 Pa and frequency was oscillated from 0.1 to 20.0 Hz and alternated between 25 and 90 °C for 688 s. All tests were performed within the identified linear viscoelastic region for the material at the temperatures tested.

## 20 2. Results and Discussion

*Gel procedure.* Whey protein solutions were gelled to denature and stabilize the derivitized powder. Gels were prepared according to Foegeding (*Journal of Texture Studies* 23, 337 (1992)), with the heating time extended from 30 to 45 minutes insuring adequate heat transfer in the aluminum freeze-drier pans. During preliminary rheological  
25 studies of the FS-II gels, the apparent viscosity of the protein powders in solution (10% w/w) sharply increased at 88 °C. If held at that temperature longer than 5 minutes the solution would gel, indicating a substantial portion of the protein had not denatured or had undergone reversible denaturation. Therefore, a 3-hour gelation time was applied to



- 16 -

all gel type solutions to promote more extensive protein denaturation and enhanced heat stability.

*Gel type determination.* Vane fracture tests and water holding analyses were conducted to distinguish protein gels rheologically and structurally. The vane attachment  
5 was used to quantify the stress and deformation (strain) in order to place the whey protein gels in distinct categories for comparative and classification purposes. Water-holding analysis was used to qualify water-holding trends, related to compositional characteristics of the various gel types.

*Vane.* Vane attachments sheared gels to fracture, offering a simple approach for  
10 gel classification. The peak fracture stress provided indication of gel strength, while vane rotation at fracture furnished an understanding of gel deformation characteristics. Vane experiments concluded that gelation time influenced stress at fracture values for all gel types ( $p \leq 0.05$ ). When comparing treatments in **Figure 1a** and **Figure 1b**, the lower fracture stresses for 45-minute gels may result from inadequate heating time and/or  
15 temperature (80 °C) to completely cure the gel structure. This effect may be due to an underestimation of the heat transfer effects of the aluminum gel pans or increased solution volume. The significance in the stress difference for the FS-II gels may also be attributed to enhanced thermal stability of whey protein solutions below pH 4.0, thereby requiring longer thermal treatments to denature the proteins and produce networks. This  
20 speculation is supported by Jelen et al. (*Milchwissenschaft* 38, 215 (1984)), who demonstrated that below pH 3.5 protein solutions resisted coagulation for an average of 30 minutes at 80°C. In addition, Harwalkar (*Journal of Dairy Science* 63, 1052 (1980)) noted slower thermal denaturation rates of whey proteins at low pH than those reported at near neutral pH. Patocka et al. (*Milchwissenschaft* 42, 700 (1987)) found  $\beta$ -LG was  
25 virtually heat stable below pH 3.8-3.6. Therefore, little protein denaturation occurred at the 45-minute thermal treatment due to the stabilizing effect of low pH. An increase in heating time resulted in more denaturation and complexing between proteins, culminating in a higher fracture stress.

- 17 -

Although FS-I and FS-II gels had the same protein concentration and ionic strength, the fracture stress and deformation differences were significant. Errington et al. (*Journal of Agricultural and Food Chemistry* 46, 2963 (1998)) noted that gels formed below pH 4.0 were weak and brittle (FS-II gels), in contrast to the same formulation of salt and protein formed at pH >6.0 (FS-I gels). This decrease in deformability of the FS-II gels was the result of fewer intermolecular disulfide linkages due to minimal sulfhydryl oxidation and sulfhydryl- disulfide exchange at low pH. This hypothesis helps qualify the larger deformation noted in the <pH 4.0 FS-II sample verses the <pH 3.5 FS-II in **Figures 1a and 1b**; a lower solution pH resulted in fewer disulfide bonds and therefore, diminished deformability.

The stress difference between the FS-I and FS-II gels may be a result of acid hydrolysis of proteins at low pH. Britten et al. (*Journal of Dairy Science* 77, 676 (1994)) demonstrated that gels formed at pH 4.0 had fewer large aggregates formed with increasing hydrolysis. At that pH, peptides are believed to interfere with the formation of large aggregates, resulting in a large proportion of small aggregates. In addition, Langton et al. (*Journal of Food Hydrocolloids* 5, 523 (1992)) documented gels prepared at pH 3.5 have networks of short thin strands (~4 nm in diameter) with several strands intersecting at one junction, while gel networks formed at pH 7.0 and 6.5 were composed of longer strands of equal or greater thickness than those formed at pH 3.5. These influences would change the intermolecular interactions and thereby alter the stress required to fracture the matrix, providing additional support for the lower fracture stresses recorded for the FS-II gels at both the <3.5 and <4.0 pH.

There were no obvious trends for various salt concentrations for stress and deformation at fracture in the mixed, particulate, or FS-I gels for either gelation time. However, in the FS-II gels (**Figure 1c**), a pattern of increasing deformation and increasing stress with decreasing salt concentrations for the 45 minute gels at pH values of <4.0 and <3.5 was observed. In the 3-hour gels however, there was a shift in the pattern, increasing deformation and decreasing stress with decreasing salt concentrations at both pH values. This shift in salt trends from the 45 minute to the 3-hour gel time may

- 18 -

be attributed to an increase in charge shielding over the longer incubation time. The solutions with higher salt concentrations have more time to orient themselves around the positively charged protein molecules, while decreasing the repulsion of like charges between protein species and permitting aggregation. Aggregation of proteins results in a more "particulate" type of FS-II gel structure, presented by gels with low deformability and higher fracture stress. This observation was supported by Harwalker et al. (1985) who found those protein solutions at low pH but high ionic strengths resulted in lower ionic forces but enhanced hydrophobic interactions, increasing coagulation and therefore, gelation.

10        *Particle size.* After thermal gelation and vane experimentation, gels were frozen, freeze-dried and ground. Particle size analysis was conducted on the resulting dry protein powders, and average particle size of 25.3  $\mu\text{m}$  was determined (Figure 2).

*Solubility.* Solubility is an important characteristic for functional application of proteins in food systems, serving as a prerequisite for derived functional properties like emulsification, foaming, and gelation (de Wit, *Journal of Dairy Science* 73, 3602 (1990)). A solubility test therefore served as a means of elimination of gel powders based on suitability for further analyses and applicability to industrial use. Powders with low solubility could not be analyzed effectively by gel electrophoresis, DSC, or rheologically and were therefore excluded from further evaluation. Seven powders exhibiting solubility values of  $\geq 70\%$  at pH 7.0 were labeled for continued evaluation. Therefore, all subsequent discussion of experimental analysis was only conducted on the soluble gel powders. Table 1 gives the network types and physical properties of whey protein gels. Table 2 serves as sample identification key, detailing salt concentrations and solution pH and provides solubility values for all gel types.

- 19 -

**Table 1. Network types and physical properties of whey protein gels.**

Gel Type	Fracture Rheology		Appearance	Water Holding
	Stress	Deformation		
Stranded				
I) pH>pI	+++ <sup>a</sup>	+++	Translucent	+++
II) pH<pI	+	+	Translucent	?
Mixed	++++	++	Cloudy/opaque	++
Particulate	+++	+++	Opaque	+

Adapted from Foegeding et al., in J. Witaker et al., *Functional Properties of Proteins and Lipids*, 145-157 (1998)(New York: American Chemical Society)

- 5 <sup>a</sup>The number of "+" symbols represents the relative magnitude of a property among gel types, with the greater number of symbols indicating a greater magnitude, and "?" indicating no relevant data.

**Table 2. Dried WPI powder sample identification, thermal gel time, concentration of salts used in gelation, pH and solubility.**

Sample ID	Gel Time	pH	mM NaCl	mM CaCl <sub>2</sub>	Gel Type	Solubility
7H	45 min	3.93	50	0	FS-II (pH<4)	61.4
7G		3.99	20	0		70.0
7I		3.98	0	0		67.8
7K	45 min	3.45	50	0	FS-II (pH<3.5)	61.1
7J		3.40	20	0		71.2
7L		3.40	0	0		70.3
7F	45 min	6.77	50	0	FS-I	6.7
7E		6.77	20	0		8.0
7D	45 min	6.77	25	5	Mixed	6.0
7C		6.77	20	5		23.3
7B	45 min	6.77	40	5	Particulate	14.6
7A		6.77	30	10		6.4
1	3 hours	3.88	50	0	FS-II (pH<4)	68.8
2		3.94	20	0		68.8
3		3.83	0	0		74.9
4	3 hours	3.37	50	0	FS-II (pH<3.5)	78.3
5		3.28	20	0		79.2
6		3.36	0	0		88.2
7	3 hours	6.82	50	0	FS-I	5.3
8		6.82	20	0		4.1
9	3 hours	6.82	25	5	Mixed	13.7
10		6.82	20	5		11.8
11	3 hours	6.82	40	5	Particulate	9.4
12		6.82	30	10		22.6

\*Corrected solubility (in percent) based on native WPI=100% soluble. Method adapted from Britten et al., *Journal of Dairy Science* 77 676 (1994).

- 20 -

*Differential scanning calorimetry.* DSC was conducted to determine the percent denaturation and the shift in denaturation temperature (from native WPI) imposed by each gelation process. According to **Table 3**, no trends in denaturation temperature and salt concentration were observed. Although increasing salt did have a stabilizing effect on the protein, decreasing the denaturation and resulting in a higher calculated % native protein. In the 3-hour gelation treatment, sample 4, made with 50 mM NaCl, had a native protein concentration of 10.49% while sample 5, made with 20 mM NaCl, had a 6.58% and sample 6, made with 0mM NaCl, had a 4.69%. This trend was also noted by Harwalkar et al. (*Milchwissenschaft* 40, 31 (1985)), who documented higher ionic strength ( $\Gamma/2$ ) values increased the rate of denaturation, but a protective effect from denaturation was noticed when  $\Gamma/2$  was increased from 0 to 0.1. This response may be due to the increase in hydration usually exhibited by globular proteins around  $\Gamma/2$  of 0.15 (S. Damodaran, in O. Fennema, *Food Chemistry* 321-430 (3d Ed. 1996)). The stability could arise from the withdrawal of hydrophobic groups of protein from water leading to a compact form. At lower ionic strength, the selective binding of chloride ions by the protein cationic sites may give rise to a more compressed form. The experimental NaCl concentrations in this research were all within the ionic strength range of 0 to 0.1, providing a protective effect and decreasing the denaturation with increasing salt.

**Table 3. Percent native protein and temperature of denaturation as determined by DSC for protein gel powders exhibiting solubility of 70% or greater.**

Sample ID	% Native Protein	Denaturation Temp (C)
Native	100.00	76.94
3	26.21	87.67
4	10.49	86.69
5	6.58	86.05
6	4.69	88.29
7G	42.04	87.55
7J	41.01	87.16
7L	44.80	87.16

- 21 -

Another observation from DSC analysis was a decrease in percent native protein with an increased gelation time. The 45-minute gel powders had a native protein concentration of approximately 42% while the 3-hour treatment had concentrations that ranged from 26 to 2.5 % depending on pH and ionic strength. In addition, an upward  
5 shift (from native WPI) in denaturation temperature of the 45-minute and 3-hour gels was noted and may be attributed to the increased heat stability imparted by the reduced pH of the gelation conditions. DSC studies by de Wit et al. (*Journal of Dairy Science* 67, 2701 (1984)) showed greater thermal stability at pH 3.0 than at neutral pH evidenced by the increased transition temperature (e.g. denaturation temperature). In addition, Harwalkar  
10 (*Journal of Dairy Science* 63, 1043 (1980)) found, via optical rotation, denaturation of whey proteins at a solution pH of 2.5 was detectable only at 75 °C or above. At higher pH (e.g., at pH 7), initiation of thermal denaturation was detected at a much lower temperature, 65 °C, exemplifying the thermal stability and higher transition temperatures noted in the proteins below pH 4.0.

15       **Electrophoresis.** The electrophoretic patterns of SDS-PAGE of WPI heated (80 °C for 45 min and 3-hr) in HCl at pH values below 4.0 or 3.5 with varying NaCl concentrations were exemplified (Gel not shown). Breakdown of molecular weights via densitometer measurements of proteins, protein fragments, and derivatives are presented in Table 4. Control banding patterns of WPI (lane 7) showed peaks corresponding to  $\alpha$ -  
20 LA (14 kDa),  $\beta$ -LG (18 kDa), and a minor peak of BSA (66 kDa). The peak at 48 kDa in the native WPI may be due to hydrolysis of the larger molecular weight BSA or association of the smaller massed proteins,  $\beta$ -LG and  $\alpha$ -LA not effected by the denaturant dithiothreitol (DTT). All peaks present in native WPI decreased with increased heating time at low pH values (<pH 3.5 and <pH 4.0), with new bands  
25 appearing between  $\alpha$ -LA and  $\beta$ -LG while some migrating ahead of  $\alpha$ -LA. Harwalkar (*Id.*) obtained similar electrophoretic patterns with a 2.0% TCA-insoluble fraction of heated whey. These results were attributed to structural alterations in  $\alpha$ -LA,  $\beta$ -LG, or both due to low pH thermal treatments. In addition, Lupano (*Journal of Dairy Science* 77, 2191 (1994)) observed by SDS-PAGE many bands in the molecular mass range of 3.5

- 22 -

to 17 kDa after  $\beta$ -LG (0.5% in .02 M HCl; pH 2.5) was heated at 90 °C for 1 hr. The heat treatment in acidic conditions produce partial denaturation and cleavage of peptide bonds.

Table 4. Densitometer Values (in percent) of electrophoresis bands.

Lane	Sample ID	Molecular Weight of Hydrolyzed/Polymersized Protein Fragments									
		82 kDa	66 kDa	58 kDa	48 kDa	36 kDa	26 kDa	18 kDa	14 kDa	7 kDa	4 kDa
2	3		1.74	0.68		4.77	1.30	58.82	31.66	1.03	
3	4						0.53	66.00	31.81	1.67	
4	5			0.49		2.60		61.01	32.24	3.66	
5	6	0.44	1.05		5.47	3.80	53.16		30.56	4.52	1.00
6	6	0.22	0.76		4.25	2.48	55.90		29.30	4.95	2.14
7	native		6.08		3.17			58.66	32.09		
8	7G		5.61	0.59	4.60			56.78	32.43		
9	7J		3.53		3.08			61.08	32.31		
10	7L		2.66		1.76			63.94	31.65		

Lane 1 was a MultiMark™ molecular weight marker.



- 24 -

Further electrophoretic observations show a shift in fragment distribution between 26 and 18 kDa for **sample 6**. The shift in molecular weight may be attributed to deamidation of the Asn and Gln in  $\beta$ -LG due to the low pH thermal treatment. Harwalkar (*Journal of Dairy Science* 63, 1043 (1980)) found proteins thermally treated at pH 2.5 were  
5 unchanged in molecular size but altered in structure as determined by increased optical rotation measurements. This chemical alteration may have caused an increase in net charge of the  $\beta$ -LG and a structural change, altering the DTT binding and resulting in  $\beta$ -LG banding as a larger protein.

A low percentage of a high molecular mass band (82 kDa) was observed for  
10 **sample 6**, which may indicate the presence of aggregates, although DTT should have prevented this occurrence. While low pH inhibits disulfide interchange reactions, Darbre (1986) presented evidence for their presence at low pH values, although the process is not rapid. Thus, a certain degree of disulfide interchange reactions could be expected, mainly for the 3-hour thermal treatment samples. However this observation was not made for  
15 FS-II (<pH 3.5) gels containing NaCl, due to the stabilizing effect of salts.

Another possible explanation of the 82 kDa band for **sample 6** is  $\beta$ -elimination of BSA. These reactions are usually carried out by heating the solution with  $K^+$ ,  $OH^-$  or  $Na^+$ , and involve the loss of a proton at a  $\beta$ -carbon and the formation of an alkene (Fessenden et al., 1993). The result of  $\beta$ -elimination is the formation of pi bonds and  
20 therefore an alteration in structure. This structural modification may affect DTT binding and thus result in different banding patterns for those BSA proteins having undergone this elimination reaction.

In addition, trends in salt concentration and acid hydrolysis were noted from electrophoretic results. An increase in ionic strength of the protein powders for the 3-  
25 hour heating time had a stabilizing effect on the rate of acid hydrolysis, yielding fewer low molecular weight bands. Inorganic salts, such as NaCl, in low-ionic-strength aqueous solutions can increase the stability of folded conformations, in order to minimize the protein surface in contact with the solvent (Creighton, *Proteins: Structures and Molecular Properties* (2d ed. 1993)). It has also been found that salt bridges can form at  
30 low ionic strengths (<0.1M) which can increase the stability of the folded state because

- 25 -

ionization and conformational stability are linked functions. The greater the stabilizing effect of a salt bridge, the less susceptible it is to disruption by extremes of pH (Id.). The enhanced stability of the folded protein conformation with increasing salt can decrease the interaction with the acidic environment, thereby decreasing the hydrolysis.

5       *Rheological analysis.* The following results were obtained for shear rate ramps, temperature ramps, pH stability studies and frequency sweep studies.

*Shear rate ramps.* Shear ramps were conducted to determine stability over the range of 0.9 to 116 s<sup>-1</sup> at 25 °C (Figure 3). Sample 6 possessed the highest apparent viscosity over the selected test range. Therefore, based on solubility, electrophoretic  
10 patterns and apparent viscosity, sample 6 was selected as the best possibility for a thickener and marked for further study.

      Further shear ramps were performed at 25, 50, and 75 °C to evaluate the influence of temperature on the apparent viscosity of sample 6 (Figure 4). Sample 6 displayed little variation in apparent viscosity over the selected temperatures.

15       *Temperature ramps.* Although a layer of paraffin oil was applied to the surface of the sample before temperature ramps were performed, a moisture analysis was conducted before and after ramps to establish apparent viscosity differences were a characteristic of the material and not a consequence of drying. Only data on samples below 1% moisture difference before and after analysis were kept. In Figure 5, sample 6 temperature ramps  
20 revealed little variation in the apparent viscosity from 10 to 55 °C, however from 55 to 90 °C there is an increase of 1.3 Pa s. The increase in viscosity at the higher temperatures may be attributed to the additional denaturation of native or renatured protein structures. This theory is supported by the slightly higher viscosity recorded for the 90 to 5 °C temperature ramp. The higher apparent viscosity is due to protein unfolding and  
25 interaction, resulting in a larger hydrodynamic radius of the particles and hence increased viscosity.

*pH stability.* Shear ramps were conducted on sample 6 at pH values of 4 and 8 to determine pH effects on apparent viscosity over the shear rates selected (Figure 6).

      Sample 6 exhibited little variation in apparent viscosity over the pH values selected for  
30 the up curve of the shear ramp. However, on the initial ramp up, the solution at pH 4.0

- 26 -

had a substantially higher apparent viscosity than the sample at pH 8.0. This observation may be a result of increased interaction of the protein fragments at lower pH due to native protein unfolding.

*Frequency sweep.* Small amplitude oscillatory rheology was performed on  
5 sample 6 at temperatures of 25 and 90 °C to examine viscoelasticity. Although a layer of paraffin oil was applied to the surface of the sample before frequency sweeps were performed, a moisture analysis was conducted before and after to establish results were not a consequence of drying. Only data on samples, which possessed less than 1% moisture difference before and after analysis was used. Viscoelastic properties are  
10 typically described with three parameters, the phase angle ( $\delta$ ), the storage modulus ( $G'$ ), and the loss modulus ( $G''$ ). The moduli show distinct behaviors when subjected to a frequency sweep and can reveal general characteristics of the sample. As pictured in **Figure 7a**, an increased frequency resulted in an increased  $G'$  value. The phase angle is equivalent to the  $\tan^{-1}(G''/G')$  and ranges from 0 to 90°. The lower the phase angle, the  
15 more solid-like the material. According to **Figure 7b**, for all sweeps the phase angle was below 25°, indicating the storage modulus dominated the loss modulus at every frequency. The coupling of the low phase angle and linearly increasing storage modulus is indicative of a weak gel network.

Four sweeps were performed on a single solution at temperatures alternating  
20 between 25 and 90 °C to elucidate temperature effects on gel network interactions. Comparing sweep 1 versus sweep 2 in **Figures 7a and 7b**, the storage modulus increased and the phase angle decreased at 90 °C, explained by protein unfolding and increased hydrophobic interactions. As temperature was lowered for sweep 3, the newly unfolded proteins from sweep 2 were able to participate in network formation yielding a higher  $G'$ .  
25 Sweep 4 and sweep 2, each at 90 °C demonstrated similar rheological behavior, typical of diminished hydrogen bonding at elevated temperatures. Following the initial sweep at 90 °C, subsequent sweeps produced comparable rheological results, supporting the claim of a temperature independent gel structure (see **Figure 4**).

- 27 -

The foregoing is illustrative of the present invention, and is not to be construed as limiting thereof. The invention is defined by the following claims, with equivalents of the claims to be included therein.

- 28 -

**We claim:**

1. A dry protein product useful as a fat substitute or thickening agent, said product comprising:
  - a dry powder produced by hydrolyzing, gelling, drying and then powdering a whey protein;
    - said powder having a viscosity of at least about one-half pascal second at 46 reciprocal seconds for one half hour in a steady state shear test at 25°C when reconstituted as a 10% weight/weight solution in deionized water at a pH of 4; and
    - said powder having a phase angle of five to forty degrees at frequencies of from .01 to 20 Hertz in a frequency sweep test at 25°C when reconstituted as a 10% weight/weight solution in deionized water; and
    - said powder having a solubility of at least 50% at 25°C when reconstituted as a 1% weight/weight solution in deionized water at a pH of 7.
2. A dry protein product according to claim 1,
  - said powder having a viscosity of at least about one-half pascal second at 46 reciprocal seconds for one half hour in a steady state shear test at 25°C when reconstituted as a 10% weight/weight solution in deionized water at a pH of 8; and
  - said powder having a viscosity of at least about one-half pascal second at 46 reciprocal seconds for one half hour in a steady state shear test at 75°C when reconstituted as a 10% weight/weight solution in deionized water at a pH of 4.
3. A dry protein product according to claim 1, said dry powder having a particle size of 1 to 100  $\mu\text{m}$ .
4. A dry protein product according to claim 1, said dry powder having a phase angle less than 20 in said frequency sweep test.
5. A dry protein product according to claim 1, further comprising from about 1 to 90 percent by weight of pregelatinized starch.

- 29 -

6. A method of making a dry powdered protein product useful as a fat substitute or thickening agent, said method comprising the steps of:

hydrolyzing a whey protein preparation to produce a hydrolyzed whey protein  
5 preparation; then  
gelling said hydrolyzed whey protein preparation to form a whey protein gel; then  
drying said whey protein gel to produce a dried whey protein gel; and  
powdering said dried whey protein gel.

10 7. A method according to claim 6, wherein said hydrolyzing step is an acid hydrolysis step.

8. A method according to claim 7, wherein said acid hydrolysis step is carried out with an acid selected from the group consisting of hydrochloric acid, sulfuric acid, citric  
15 acid, acetic acid, phosphoric acid, polyphosphoric acid, phytic acid, oxalic acid, succinic, maleic acid, fumaric acid, and lactic acid.

9. A method according to claim 6, wherein said hydrolyzing step is an enzyme hydrolysis step.

20

10. A method according to claim 6, wherein said gelling step is carried out under conditions that produce a weak fine-stranded gel.

11. A method according to claim 6, wherein said gelling step is carried out at a  
25 pH of 4 or less.

12. A method according to claim 6, wherein said gelling step is carried out under conditions that produce an FS-II gel.

- 30 -

13. A method according to claim 6, wherein said drying step is carried out by dehydrating, freeze-drying, or spray drying.

14. A method according to claim 6, wherein said powdering step is carried out  
5 under conditions that produce a powder having an average particle size of 1 to 100  $\mu\text{m}$ .

15. A method of making a reduced fat formulated edible food product for human consumption, said method comprising the steps of:

providing a dry protein powder according to claim 1; and

10 mixing said dry protein powder with the remaining ingredients for said edible food product, said dry protein powder included in an amount sufficient to make an organoleptic contribution to said food product, so that said dry protein powder is hydrated in said food product.

15 16. A method according to claim 15, wherein said food product is a frozen food product.

17. A method according to claim 15, wherein said food product is a refrigerated food product.

20

18. A method according to claim 15, wherein said food product is a cooked food product.

19. A method according to claim 15, wherein said food product is a foamed food  
25 product.

20. In a formulated edible food product for human consumption normally containing fat in a sufficient concentration to make an organoleptic contribution to said food product, the improvement comprising:

- 31 -

replacing at least a portion of said fat in the food product with a hydrated dry protein powder according to claim 1.

21. A formulated edible food product according to claim 20, wherein said product  
5 is a frozen food product.

22. A formulated edible food product according to claim 20, wherein said product is a refrigerated food product.

23. A formulated edible food product according to claim 20, wherein said product  
10 is a cooked food product.

24. A formulated edible food product according to claim 20, wherein said product is a foamed food product.

15 25. A method of making a thickened formulated edible food product for human consumption, said method comprising the steps of:  
providing a dry protein powder according to claim 1; and  
mixing said dry protein powder with the remaining ingredients for said edible food product, said dry protein powder included in an amount sufficient to increase the  
20 viscosity of said food product, and so that said dry protein powder is hydrated in said food product.

26. A method according to claim 25, wherein said food product is a frozen food product.

25

27. A method according to claim 25, wherein said food product is a refrigerated food product.

28. A method according to claim 25, wherein said food product is a cooked food  
30 product.



- 32 -

29. A method according to claim 25, wherein said food product is a foamed food product.

5           30. In a formulated edible food product for human consumption the consistency of which is desired to be thickened, the improvement comprising:  
including a hydrated dry protein powder according to claim 1 in said product in an amount sufficient to increase the viscosity of said product.

10           31. A formulated edible food product according to claim 30, wherein said product is a frozen food product.

32. A formulated edible food product according to claim 30, wherein said product is a refrigerated food product.

15

33. A formulated edible food product according to claim 30, wherein said product is a cooked food product.

34. A formulated edible food product according to claim 30, wherein said product  
20 is a foamed food product.

35. A method of making a formulated edible food product for human consumption having water bound therein, said method comprising the steps of:

providing a dry protein powder according to claim 1; and

25           mixing said dry protein powder with the remaining ingredients for said edible food product, said dry protein powder included in an amount sufficient enhance the retention of water in said food product, and so that said dry protein powder is hydrated in said food product.

- 33 -

36. A method according to claim 35, wherein said food product is a frozen food product.

37. A method according to claim 35, wherein said food product is a refrigerated  
5 food product.

38. A method according to claim 35, wherein said food product is a cooked food product.

10 39. A method according to claim 35, wherein said food product is a foamed food product.

40. In a formulated edible food product normally containing a binder to retain water in said food product, the improvement comprising:

15 replacing at least a portion of said binder in the food product with a hydrated dry protein powder according to claim 1 in an amount sufficient to enhance the retention of water in said food product.

41. A formulated edible food product according to claim 40, wherein said product  
20 is a frozen food product.

42. A formulated edible food product according to claim 40, wherein said product is a refrigerated food product.

25 43. A formulated edible food product according to claim 40, wherein said product is a cooked food product.

44. A formulated edible food product according to claim 40, wherein said product is a foamed food product.

1 / 10




FIG. 1A

2 / 10




FIG. 1B

3 / 10




FIG. 7C

4 / 10




FIG. 2

5 / 10




FIG. 3

6 / 10




FIG. 4






FIG. 5

8 / 10




FIG. 6

9 / 10




FIG. 7A

10/10




FIG. 7B

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US00/17975

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(7) :A23L 1/0562

US CL :426/573, 583; 530/ 365, 833

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 426/573, 583; 530/ 365, 833

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched  
NONE

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

DIALOG, WEST

search terms: whey, gel\$, hydroly\$, powder

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5,416,196 A (KITABATAKE et al.) 16 May 1995, see entire document.	1-44N
Y	OTTE et al. Effects of Limited Proteolysis on the Microstructure of Heat-Induced Whey Protein Gels at Varying pH. Journal of Dairy Science. 1996. Vol. 79. No. 5. pages 782-790.	1-44
Y	ELOFSSON et al. Characterization of a Cold-Gelling Whey Protein Concentrate. International Dairy Journal. 1997. Vol. 7. pages 601-608.	1-44

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*E* earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*&* document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means	
*P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

12 AUGUST 2000

Date of mailing of the international search report

28 AUG 2000

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

KEITH D. HENDRICKS

Telephone No. (703) 308-0661

# PATENT COOPERATION TREATY

## PCT

REC'D 31 OCT 2001

### INTERNATIONAL PRELIMINARY EXAMINATION REPORT PCT

(PCT Article 36 and Rule 70)

14

Applicant's or agent's file reference 5051-461.WO	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/US00/17975	International filing date (day/month/year) 30 JUNE 2000	Priority date (day/month/year) 14 JULY 1999
International Patent Classification (IPC) or national classification and IPC IPC(7): A23L 1/0562 and US Cl.: 426/573, 583; 530/ 365, 833		
Applicant NORTH CAROLINA STATE UNIVERSITY		

<p>1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.</p> <p>2. This REPORT consists of a total of <u>4</u> sheets.</p> <p><input checked="" type="checkbox"/> This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority. (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).</p> <p>These annexes consist of a total of <u>2</u> sheets.</p>	
<p>3. This report contains indications relating to the following items:</p> <p>I <input checked="" type="checkbox"/> Basis of the report</p> <p>II <input type="checkbox"/> Priority</p> <p>III <input type="checkbox"/> Non-establishment of report with regard to novelty, inventive step or industrial applicability</p> <p>IV <input type="checkbox"/> Lack of unity of invention</p> <p>V <input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability, citations and explanations supporting such statement</p> <p>VI <input type="checkbox"/> Certain documents cited</p> <p>VII <input type="checkbox"/> Certain defects in the international application</p> <p>VIII <input type="checkbox"/> Certain observations on the international application</p>	

<p>Date of submission of the demand 30 JANUARY 2001</p>	<p>Date of completion of this report 18 SEPTEMBER 2001</p>
<p>Name and mailing address of the IPEA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231</p>	<p>Authorized officer  KEITH D. HENDRICKS</p>
<p>Facsimile No. (703) 305-3230</p>	<p>Telephone No. (703) 308-0661</p>

Jean Proctor  
Paralegal Specialist

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/US00/17975

**I. Basis of the report****1. With regard to the elements of the international application: \***☐ the international application as originally filed☒ the description:

pages (See Attached) \_\_\_\_\_, as originally filed  
pages \_\_\_\_\_, filed with the demand  
pages \_\_\_\_\_, filed with the letter of \_\_\_\_\_

☒ the claims:

pages (See Attached) \_\_\_\_\_, as originally filed  
pages \_\_\_\_\_, as amended (together with any statement) under Article 19  
pages \_\_\_\_\_, filed with the demand  
pages \_\_\_\_\_, filed with the letter of \_\_\_\_\_

☒ the drawings:

pages (See Attached) \_\_\_\_\_, as originally filed  
pages \_\_\_\_\_, filed with the demand  
pages \_\_\_\_\_, filed with the letter of \_\_\_\_\_

☒ the sequence listing part of the description:

pages (See Attached) \_\_\_\_\_, as originally filed  
pages \_\_\_\_\_, filed with the demand  
pages \_\_\_\_\_, filed with the letter of \_\_\_\_\_

**2. With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.**

These elements were available or furnished to this Authority in the following language \_\_\_\_\_ which is:

- ☐ the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).  
☐ the language of publication of the international application (under Rule 48.3(b)).  
☐ the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and/or 55.3).

**3. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:**

- ☐ contained in the international application in printed form.  
☐ filed together with the international application in computer readable form.  
☐ furnished subsequently to this Authority in written form.  
☐ furnished subsequently to this Authority in computer readable form.  
☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.  
☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

**4. ☒ The amendments have resulted in the cancellation of:**

☒ the description, pages NONE  
☒ the claims, Nos. NONE  
☒ the drawings, sheets/fig. NONE

**5. ☐ This report has been drawn as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).\*\***

\* Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17).

\*\*Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/US00/17975

**V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement****1. statement**

Novelty (N)	Claims <u>1-44</u>	YES
	Claims <u>none</u>	NO
Inventive Step (IS)	Claims <u>1-44</u>	YES
	Claims <u>none</u>	NO
Industrial Applicability (IA)	Claims <u>1-44</u>	YES
	Claims <u>none</u>	NO

**2. citations and explanations (Rule 70.7)**

Claims 1-44 meet the criteria set out in PCT Article 33(4), because the inventions therein all have industrial applicability as dry protein products for use within various food and beverage products.

Claims 1-44 meet the criteria set out in PCT Article 33(2) and PCT Article 33(3), because the prior art does not teach or fairly suggest the production of a gelled, hydrolyzed whey powder with the viscosity properties and phase angle characteristics, with the recited solubility, of those stated in claims 1 and 6.

----- NEW CITATIONS -----

NONE



INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/US00/17975

**Supplemental Box**

(To be used when the space in any of the preceding boxes is not sufficient)

Continuation of: Boxes I - VIII

Sheet 10

**I. BASIS OF REPORT:**

This report has been drawn on the basis of the description,  
page(s) 1-27, as originally filed.  
page(s) NONE, filed with the demand.  
and additional amendments:  
NONE

This report has been drawn on the basis of the claims,  
page(s) 30-33, as originally filed.  
page(s) NONE, as amended under Article 19.  
page(s) NONE, filed with the demand.  
and additional amendments:  
Pages 28-29, filed with the letter of August 21, 2001.

This report has been drawn on the basis of the drawings,  
page(s) 1-10, as originally filed.  
page(s) NONE, filed with the demand.  
and additional amendments:  
NONE

This report has been drawn on the basis of the sequence listing part of the description:  
page(s) NONE, as originally filed.  
pages(s) NONE, filed with the demand.  
and additional amendments:  
NONE

PCT/US 00/17975  
IPEA/US 21 AUG 2001**We claim:**

1. A dry protein product useful as a fat substitute or thickening agent, said product comprising:
  - a dry powder produced by hydrolyzing, gelling, drying and then powdering a whey protein;
  - said powder having a viscosity of at least about one-half pascal second at 46 reciprocal seconds for one half hour in a steady state shear test at 25°C when reconstituted as a 10% weight/weight solution in deionized water at a pH of 4; and
  - said powder having a phase angle of five to forty degrees at frequencies of from .01 to 20 Hertz in a frequency sweep test at 25°C when reconstituted as a 10% weight/weight solution in deionized water.
2. A dry protein product according to claim 1,
  - said powder having a viscosity of at least about one-half pascal second at 46 reciprocal seconds for one half hour in a steady state shear test at 25°C when reconstituted as a 10% weight/weight solution in deionized water at a pH of 8; and
  - said powder having a viscosity of at least about one-half pascal second at 46 reciprocal seconds for one half hour in a steady state shear test at 75°C when reconstituted as a 10% weight/weight solution in deionized water at a pH of 4.
3. A dry protein product according to claim 1, said dry powder having a particle size of 1 to 100  $\mu\text{m}$ .
4. A dry protein product according to claim 1, said dry powder having a phase angle less than 20 in said frequency sweep test.
5. A dry protein product according to claim 1, further comprising from about 1 to 90 percent by weight of pregelatinized starch.
6. A method of making a dry powdered protein product useful as a fat substitute or thickening agent, said method comprising the steps of:
  - hydrolyzing a whey protein preparation to produce a hydrolyzed whey protein preparation; then

gelling said hydrolyzed whey protein preparation to form a whey protein gel;  
then  
drying said whey protein gel to produce a dried whey protein gel; and  
powdering said dried whey protein gel;  
wherein the resultant powder has a viscosity of at least about one-half pascal  
second at 46 reciprocal seconds for one half hour in a steady state shear test at 25°C  
when reconstituted as a 10% weight/weight solution in deionized water at a pH of 4;  
and  
said powder has a phase angle of five to forty degrees at frequencies of from  
.01 to 20 Hertz in a frequency sweep test at 25°C when reconstituted as a 10%  
weight/weight solution in deionized water.

7. A method according to claim 6, wherein said hydrolyzing step is an acid  
hydrolysis step.

8. A method according to claim 7, wherein said acid hydrolysis step is carried  
out with an acid selected from the group consisting of hydrochloric acid, sulfuric acid,  
citric acid, acetic acid, phosphoric acid, polyphosphoric acid, phytic acid, oxalic acid,  
succinic, maleic acid, fumaric acid, and lactic acid.

9. A method according to claim 6, wherein said hydrolyzing step is an enzyme  
hydrolysis step.

10. A method according to claim 6, wherein said gelling step is carried out  
under conditions that produce a weak fine-stranded gel.

11. A method according to claim 6, wherein said gelling step is carried out at  
a pH of 4 or less.

12. A method according to claim 6, wherein said gelling step is carried out  
under conditions that produce an FS-II gel.

5                   **THERMAL AND PH STABLE PROTEIN THICKENING**  
                    **AGENT AND METHOD OF MAKING THE SAME**

                    Heather M. Hudson, Christopher R. Daubert, and Edward A. Foegeding

10

**Field of the Invention**

                    The present invention is concerned with protein products, particularly whey protein products, that can be used as fat substitutes, thickening agents, water binders and the like, and methods of making the same.

15

**Background of the Invention**

                    Patients who have difficulty swallowing (dysphagia) resulting from nerve or structural damage to the upper digestive tract have difficulty safely consuming liquids. Accordingly, such patients typically use commercially available thickening agents to  
20 safely consume nutritionally adequate amounts of foods and liquids. *See generally* C. Pelletier, *Dysphagia* 12, 74-78 (1997).

                    Pregelatinized starch, also known as cold-water-soluble starch, is available as a thickening agent (*see, e.g.*, BeMiller and Whistler, Ch. 4 in *Food Chemistry*, pg 204, (O. Fennema Ed. 3d ed. 1996)). Such materials are conveniently provided in dry powder form  
25 and can be readily reconstituted in a variety of foods and beverages to increase the viscosity thereof. However, such materials do not serve as a source of protein, and obviously serve as an additional source of carbohydrate. For dysphagia patients, where food consumption is difficult, it is desirable to find ways to allow the patients to increase protein consumption, and/or decrease carbohydrate consumption. Accordingly, there is a  
30 need for a dry protein product that can be used as a viscosity modifying agent.

Dry protein products that can be used as a thickening agent are not simple to produce. To be useful as a thickening agent the product must be conveniently mixed in a variety of foods, at a variety of pH, temperature, and other conditions. Such a product would be a "cold-set" protein gel, but the production of cold set protein gels has been  
5 difficult. C. Bryant and D. Clements (*Trends in Food Science and Technology* 9, 143 (1998)), describe progress towards cold-setting whey protein ingredients, but do not describe a dry powder that can be used to produce a cold-set protein gel.

In the nutraceutical and food industries, there has been considerable interest in the development of fat substitutes. Protein-based fat substitutes such as SIMPLESSE® are  
10 attractive from a nutritional perspective, and protein-based fat substitutes derived from a dairy product such as whey protein are particularly attractive. Thickening agents would possess many of the features desired in a fat substitute. However, some products that have been developed as fat substitutes to date lack thermal stability and are difficult to use in baked products, or have not been provided in dry powder form. A variety of such  
15 products are reviewed in G. Ziegler, U.S. Patent No. 5,147,677 (*See also* N. Singer, U.S. Patent No. 4,855,156). Accordingly, there is a need for a dry powder protein product that can be used in a variety of food applications.

#### Summary of the Invention

20 Disclosed herein is a dry protein product useful as a thickening agent (e.g., for making cold-set protein gels) and fat substitute. The powder can be readily reconstituted at room temperature, or refrigerated conditions, and can be used in frozen, refrigerated, room temperature, or cooked foods. When reconstituted the product preferably has a creamy, non-gritty texture, although texture and consistency of the product can be  
25 adjusted depending upon the desired application.

The dry powder of the invention may be produced by hydrolyzing a protein preparation (preferably a solution) (typically, a whey protein preparation) to produce a hydrolyzed whey protein preparation; then gelling the hydrolyzed whey protein

preparation to form a whey protein gel; then drying the whey protein gel; and powdering the whey protein gel.

Also disclosed are formulated edible food products for human consumption that normally contain fat in a sufficient concentration to make an organoleptic contribution to the food product; wherein at least a portion of the fat in said food products is replaced with a rehydrated dry protein powder, with said dry protein powder being as described above. Methods of making the same are also disclosed.

Food products containing a rehydrated dry protein product of the invention as a thickening agent, and methods of making the same, are also disclosed.

Food products containing a rehydrated dry protein product of the invention as a water binder, and methods of making the same, are also disclosed.

The foregoing and other objects and aspects of the present invention are explained in detail in the drawings herein and the specification set forth below.

#### **Brief Description of the Drawings**

Figure 1a shows gel type classification for 45 minute gels using vane fracture.

Figure 1b shows gel type determination for 3 hour gels using vane fracture.

Figure 1c shows gel type determination of 45 minute and 3 hour FS-II gels using vane fracture.

Figure 2 shows particle size analysis of dried, ground, whey protein gels.

Figure 3 shows the apparent viscosity of soluble gels under shear at 25°C.

Figure 4 shows the temperature effects of averaged apparent viscosity from shear ramps for sample 6 gels.

Figure 5 shows the temperature ramp (5 to 90 and back to 5 °C for sample 6 at 46s<sup>-1</sup>.

Figure 6 shows the effects of pH on averaged apparent viscosity for sample 6.

Figure 7a shows a frequency sweep for sample 6.

Figure 7b shows a frequency sweep for sample 6.

Detailed Description of Preferred Embodiments

Whey protein is widely available as a by-product of the cheese manufacturing industry. Any whey protein can be used to carry out the present invention, including but not limited to dried whey powder or concentrated (*i.e.*, liquid) whey preparations.

5 Numerous techniques for manufacturing whey protein are known, including but not limited to those described in U.S. Patent No. 4,036,999 to Grindstaff and U.S. Patent No. 3,930,039 to Kuipers. (the disclosures of all U.S. patent references cited herein are to be incorporated herein by reference in their entirety). Currently preferred is a commercial whey protein isolate containing approximately 91 percent (w/w) protein, available as  
10 BIPRO™ from Divisco International Inc. (LeSueur, Minnesota USA.).

While whey protein is preferred for practicing the present invention, other sources of protein can also be used, particularly soy protein and egg albumin (including fresh, refrigerated, frozen or dried egg white).

The protein may be hydrated for hydrolysis as necessary by combining it with  
15 water, typically by adding it to water at room temperature with stirring. The amount of protein in the hydrated protein preparation is not critical. For example, preparations of from about 1, 2 or 5 to 15 or 20 percent (weight/weight) of protein may be used. Additional ingredients such as salts may be included in the preparation if desired. The preparation may be a solution, dispersion, microemulsion, emulsion or the like, but  
20 solutions are preferred.

After hydration, hydrolysis of the protein may be carried out by any suitable means, including acid hydrolysis and enzyme hydrolysis. Acid hydrolysis is currently preferred.

For acid hydrolysis, a suitable acid can be added to the hydrated protein  
25 preparation to adjust the pH thereof to an acid pH, typically a pH of about 1, 2 or 3 to about 4, 5 or 6, and the hydrated protein preparation held for a time and at a temperature sufficient to achieve the desired degree of hydrolysis. Suitable acids for acid hydrolysis include, but are not limited to, hydrochloric acid, sulfuric acid, citric acid, acetic acid, phosphoric acid, polyphosphoric acid, and phytic acid, as well as organic acids such as,  
30 for example, oxalic acid, succinic, maleic acid, fumaric acid, lactic acid, and others.

For enzyme hydrolysis a suitable enzyme or enzyme system can be added to the hydrated protein preparation, and the preparation then held for a time and at a temperature (and at a pH) sufficient to achieve or produce the desired degree of hydrolysis. Enzymes or enzyme systems suitable for hydrolyzing proteins such as whey are known, and are typically proteases or combinations thereof. Examples are given in U.S. Patent No. 4,847,096 to Mellqvist et al., U.S. Patent No. 5,589,357 to Martinez et al., and U.S. Patent No. 3,970,520 to Feldman et al.

Hydrolysis, whether by acid hydrolysis or enzyme hydrolysis, should be carried out in a manner that provides the desired degree of hydrolysis. In general, the degree of hydrolysis will be sufficient to achieve the desired type of gel in the gelling or gelation step discussed below. Typically, "degree of hydrolysis" is defined as the amount, in percentage, of peptide bonds that have been cleaved during the hydrolysis step (See U.S. Patent No. 4,847,096 to Mellqvist et al. at column 2 lines 30-36). The degree of hydrolysis will be sufficient to achieve the desired gel as noted below, with degrees of hydrolysis of .5, 1 or 2 up to 4 or 5 being representative.

Gelation can be carried out in accordance with known techniques. See, e.g., U.S. Patent No. 4,251,562 to LeGrand et al.; U.S. Patent No. 4,636,388 to Lin et al., and U.S. Patent No. 5,217,741 to Kawachi et al. Thermal gelation of proteins such as whey protein is a two-stage process, involving an initial unfolding and subsequent aggregation of protein molecules (M. Verheul et al., *Langmuir* 14, 2263 (1998); J. DeWit et al., *Journal of Dairy Science* 67, 2701 (1984)). When native proteins are heated above 65-70° C, they partially unfold as physical forces favoring unfolding, mainly configurational entropy, increase above those forces favoring folding, hydrophobic interactions (C. Bryant et al., *Trends in Food Science & Technology* 9, 143 (1998)). Once the whey proteins have been heated to unfolding temperatures, they may either aggregate or remain unfolded as individual molecules, depending on the balance of attractive and repulsive interactions. In general, changes in the gelation environment may alter protein-protein and protein-solvent interactions by shifting the balance of attractive and repulsive forces (predominantly, electrostatic and hydrophobic interactions and hydrogen bonding). This



shift consequently affects the rates of unfolding and aggregation, resulting in different gel structures (Q. Tang et al., *Journal of Dairy Research* 62, 469 (1995)). Protein unfolding and aggregation are particularly sensitive to pH and ionic strength due to the dependence on electrostatic interactions.

5       The networks formed in WPI gelation contributes to the texture, water holding and appearance of the gel. Gels are grouped as particulate, fine-stranded (FS) or mixed networks. The type of gel matrix formed is determined by pH, solutes and gelation kinetics. Protein molecules are charged at pH values significantly higher or lower than their isoelectric points (pI) and an appreciable electrostatic repulsion opposing  
10 intermolecular protein-protein interactions is present (E. Foegeding et al., in *functional Properties of Proteins and Lipids*, pp145-157 (J. Witaker et al. Eds. 1998)). At low salt concentrations the electrostatic repulsion can be so significant that protein-protein interactions are limited and gelation is prevented (D. McClements et al., *Journal of Texture Studies* 24, 411 (1993)). As the salt concentration is increased (<0.1M) the  
15 charges are partially shielded and a transparent filament gel is formed (E. Doi, *Trends in Food Science & Technology* 4, 1-5 (1993)). Gels produced under these conditions contain a fine-stranded microstructure and translucent appearance (D. McClements et al., *Journal of the Science of Food and Agriculture* 69, 7 (1995)). At neutral pH and salt concentrations high enough to completely shield electrostatic repulsion (>0.1 M),  
20 attractive forces dominate and protein aggregation may be so extensive that protein molecules form large particles, typically a few  $\mu\text{m}$  in diameter (P. Kuhn et al., *Journal of Food Science* 56, 789 (1991)). The resulting turbid, particulate gels have an opaque milky-white appearance due to large aggregates scattering light. Mixed gels, the final subset, possess physical and functional properties of both fine-stranded and particulate,  
25 and are produced with intermediate salt concentrations (E. Foegeding et al., *supra* (1998)). The condensing of linear strands into larger aggregates is thought to be the causal mechanism for mixed gel formation.

The textures of each gel type can be characterized by rheological properties, fracture stress and deformation, and physically with appearance and water-holding

analyses (Table 1). Holding protein concentration and processing temperature constant, the value of these parameters will vary according to the processing conditions such as heatint time and solution conditions, including pH and salt. For example, while fine-stranded gels formed above or below the pI have a similar translucent appearance, 5 stranded gels formed above the pI (FS-I) are strong and eleastic whereas those formed below the pI (FS-II) have a weak, brittle structure (E. Foegeding et al., *supra* (1998)). Therefore, while FS-I gels and FS-II gels possess the same appearance, their rheological properties are different due to varying amounts of intramolecular interactions at reduced pH. In addition, WPI gels with well cross-linked, fine-stranded (FS-I) microstructures 10 hold water better than gels with particular microstructures (E. Bowland et al., *Food Hydrocolloids* 9, 47 (1995)). The increasing salt concentrations found in particulate gels result in an increase to the effective pore size of the matrix, consequently water-holding capacities of the gels decrease as salt concentrations increease. Mixed gels have intermediate water holding properties with large fracture stresses and low deformability.

15 In carrying out the present invention, gelling carried out at a pH of 4 or less are preferred, which conditions cause the formation of a weak gel structure (*i.e.*, a gel structure characterized by fewer protein networks, with those networks formed being fine-stranded networks, and which gel fractures below 10, and more preferably below 5, KPa (kiloPascals) in a vane fracture test). Gelling conditions that favor or cause the 20 formation of FS-II gels are particularly preferred.

After gelling, the gelled protein preparation is dried. Drying can be carried out by any suitable technique, including but not limited to freeze-drying, dehydrating, and spray drying. Spray drying may be used to concurrently carry out the powdering step, as noted above. Freeze drying is currently preferred.

25 The dried protein preparation is powdered as necessary by crumbling, grinding or the like to the desired particle size. A powder with an average particle size of from 1 or 2  $\mu\text{m}$  up to 50 or 100  $\mu\text{m}$  is preferred. In a current embodiment, the average particle size is about 25  $\mu\text{m}$ . Powdering may be achieved concurrently with drying when spray-drying

is employed, as noted above, or further grinding or powdering by mechanical means may be employed.

Once powdered, the present invention provides a dry protein product useful as a thickening agent, fat substitute, water binding agent or the like. The product comprises a dry powder produced by hydrolyzing, gelling, drying and powdering a whey protein, as explained above. The powder is characterized by a viscosity of at least one-half or one pascal second at 46 reciprocal seconds for one half hour in a steady state shear test at 25°C when reconstituted as a 10% weight/weight solution in deionized water at a pH of 4 or when adjusted to a pH of 8 as well. The powder is preferably characterized by such viscosity when the same tests are conducted at 5°C (for powders to be used in frozen products); the powder is preferably characterized by such viscosity when the same tests are conducted at 50°C or even 75°C (for products that are cooked, or to be cooked).

The powder is further characterized by a phase angle of five to forty degrees (and preferably less than 20 degrees) at frequencies of from .01 to 20 Hertz in a frequency sweep test at 25°C when reconstituted as a 10% weight/weight solution in deionized water.

The powder is further characterized by a solubility of at least 50%, and more preferably at least 70%, at 25°C when reconstituted as a 1% weight/weight solution in deionized water at a pH of 7. Percent solubility is determined by centrifuging the said solution at 20,000 x gravity for 15 minutes and measuring absorbance at 280 nanometers on a sample aliquot diluted 1:10 volume/volume in dissociating buffer (50 mM EDTA, 8 M urea at pH 10). Solubility is obtained from the absorbance ratio of the supernatant to that of the dispersion before centrifugation (Britten et al., *Journal of Dairy Science* 77, 676 (1994)). 50% or 70% soluble refers to samples having over 50% or 70% suspended particles, respectively (as compared to the native protein isolate from which the powder is prepared) after centrifugation at pH 7.0.

The dry powder described above can be combined with other ingredients, such as emulsifying agents stabilizing agents, anti-caking, anti-sticking agents and the like. Representative stabilizing agents are gums, which include naturally occurring plant

polysaccharides such as obtained from trees, seeds, seaweed and microbes, including gum arabic, acacia, tragacanth, karaya, larch, ghatti, locust, guar, agar, algin, carrageenan, furcellaran, xanthan, pectin, certain proteins such as gelatins, plus certain chemical derivatives of cellulose.

5       The dry powder can be combined with a cold-water-soluble starch or "pregelatinized starch" to provide a thickening agent or fat substitute with both protein and carbohydrate components, depending upon particular dietary and cost considerations. (BeMiller and Whistler, *supra* pg 204). Pregelatinized corn starch is preferred. A pregelatinized starch can be included in the dry powder in any suitable amount such as  
10 from 1 or 2 percent to 80 or 90 percent by weight to provide a combination protein and carbohydrate-based thickening agent or fat substitute.

      The dry powder can be packaged in screw-top or sealed polymeric containers for consumer use in accordance with known techniques, or can be rehydrated in an aqueous liquid and provided as a liquid concentrate to consumers or other end users. The dry  
15 powder can be used as a thickening agent for dysphagia patients or for people who simply desire a protein-based alternative to the usual starch-based thickening agents. In addition to use as a thickening agent, the dry powder can be used as a fat substitute, as a water binder, or as combinations thereof, as discussed below.

      In use as a fat substitute, the dry powder can be combined with a food product in  
20 the same manner as the egg white product described in U.S. Patent No. 5,147,677 to Ziegler to produce a formulated edible food product for human consumption normally containing fat in a sufficient concentration to make an organoleptic contribution to said food product (typically from 1 or 2 percent by weight to 50 or 60 percent by weight); wherein at least a portion of the fat (*e.g.*, 1, 2 or 5 percent by weight to 20, 50 or 100  
25 percent by weight of the total fat) in the food product is replaced with a hydrated protein powder of the present invention. Because water is present in the food product (either through the addition of water or its presence in ingredients such as eggs or milk), the dry protein powder is rehydrated in the food product. Of course, the dry powder can be rehydrated prior to or during its combination with some or all of the other ingredients of  
30 the food product. Mixing of the ingredients can be carried out in any suitable manner,

such as with a blender, stirring, shaking or the like, to uniformly mix or disperse the rehydrated dry powder through the food product (or, in the case of a combination product such as a pie and filling, to uniformly mix the rehydrated dry powder through that portion of the product in which it is contained).

5       When used as a thickening agent, the powder is combined with the other ingredients of the food product in an amount sufficient to thicken or increase the viscosity of the food product (typically 1 or 2 percent to 50 or 60 percent by weight of the total weight of the product), in like manner and as described for the fat substitute food products noted above.

10       When the powder is used as a water binder, the powder is combined with the other ingredients of the food product in an amount (typically 1 or 2 percent to 50 or 60 percent by weight of the total weight of the product) sufficient to increase the amount of water retained in or bound in the food product, in like manner as described for the fat substitute food products above.

15       The powder of the invention may of course serve multiple functions in a single food, as a fat substitute, binder, and/or thickening agent, to facilitate foaming, etc., and identification of one function herein is not intended to exclude that the ingredient is performing other functions.

      The typical solid food product will constitute from 1 or 2 percent to 50, 60, or 70  
20 percent by weight water (from all sources), or more. The typical liquid (including thickened liquid) food product will typically constitute 40 or 50 percent to 90, 95 or even 99 percent by weight water (from all sources). Other ingredients of a solid food product will typically constitute from 10 or 20 percent to 50, 60 or 70 percent by weight. Other ingredients of a liquid (including thickened liquid) food product will typically constitute  
25 from 1 or 2 percent up to 40 or 50 percent by weight, and occasionally more. These percentages are provided as general guidelines only; sometimes water is included in the weight of "dry" ingredients which are not fully dehydrated, and of course in no case do the total amounts of all ingredients exceed 100 percent, thus, it is preferred to define food products of the invention simply by reference to the amount by weight of the dry powder  
30 protein preparation added thereto.

Specific examples of food products that can be prepared with the dry powder protein preparation described herein include dessert products or dairy products such as ice cream, custard or the like; cooked products or flour-based products such as bread, cookies, brownies, cheese cake, pie, other snack foods and the like; beverages such as a milk shake or other shake, fruit juices and the like; a health supplement, nutritional supplement, or medical food product such as a beverage or bar; sauces, dips, spreads, icings and cream pie fillings and the like, in the same manner as the fat substitutes described in U.S. Patents Nos. 5,413,804 to Rhodes, 4,985,270 to Singer et al., and 4,855,156 to Singer et al.

10 To manufacture such food products, the dry powder described above can be combined, typically by mixing, with one or more other ingredients, such as various combinations of flour, sugar, eggs, oil, milk, water, cheese, meat, nuts, fruit, salt, fat, water, fruit juice, vegetables, leavening agents, preservatives, etc., depending upon the particular formulated food product being prepared. The dry powder of the invention  
15 may be rehydrated before or during the combining step by adding an aqueous ingredient such as water or milk (thus, the various ingredients may be combined in any suitable order). The product can then be frozen, refrigerated, or cooked, depending upon the particular type of product, and stored for further use. Cooking can be carried out by any suitable thermal process at any suitable temperature, typically from 25°C to 90 or 110°C  
20 (preferably less than 100°C), for up to one-half hour or one hour or more, depending upon the particular product being prepared. Thus, some products can be prepared in the home by the consumer, and other products can be prepared in a commercial manufacturing plant for repackaging and reselling as a finished food product, or as a further ingredient for restaurant or institutional use or the like.

25 Products prepared with the powder of the present invention can be foamed by subjecting them to shear forces to introduce air pockets or bubbles throughout the product, by whipping, beating, extruding or the like, in accordance with known techniques. The dry powder of the present invention can be prepared to impart excellent

foaming properties to the food product in which it is incorporated and used to create a long shelf-life (e.g., up to 4 or 5 months or more) foamed product.

The present invention is explained in greater detail in the following non-limiting Examples.

5

## EXAMPLES

### Physical and Rheological Properties of Derivitized

### Whey Protein Isolate Capable of Forming Cold-set Gels

#### 1. Materials and Methods.

10 All materials used for this research were food grade. A commercial whey protein isolate (WPI) powder (lot # JE057-7-420), containing approximately 91.2% (w/w) protein ( $N \times 6.38$ , micro-Kjeldahl, AOAC 1984) was used for the experiments (Bipro, produced by Divisco International Inc. Le Sueur, MN). All chemicals, NaCl,  $CaCl_2$ , NaOH, and HCL were purchased from Fisher Scientific Company (Fair Lawn, NJ).

15 *Preparation of Protein Dispersions and Gels.* WPI powder was hydrated (12% w/w) in 0-50 mM NaCl and/or 0-20 mM  $CaCl_2$  solutions made with double-distilled water for 1 hour by slow stirring, degassed under vacuum for 1 hour to remove visible air bubbles, and brought to volume with double-distilled water. The pH for FS-II gel protein dispersions was adjusted to 4.0 or 3.5 with 6 N HCl or 6 N NaOH. WPI gels were  
20 produced by heating the dispersions in aluminum freeze-drier pans (13.5 cm x 13.5 cm) at 80 °C for 45 minutes or 3 hours according to the procedure in Foegeding (Journal of Texture Studies 23, 337 (1992)).

*Gel Type Determination.* Vane fracture tests and water holding trials were conducted to determine gel type: particulate, mixed, FS-I, or FS-II.

25 *Vane Analysis.* The vanes consisted of four identical stainless steel blades (23 gage) fixed to a center shaft. Two vanes with similar heights (H) of 20 mm and varying diameters (D) of 10 and 8 mm were inserted flush with the gel sample in aluminum pans and rotated with a Haake VT550 viscometer (Paramus, NJ) at a speed of 0.5 rpm until fracture. Tests were performed nine times for each gel, and peak torque

( $M_f$ ) and time at fracture ( $t_f$ ) were recorded. Stress ( $\sigma_f$ ) and vane rotation at fracture ( $\theta_f$ ) ( $\propto$  strain) were calculated according to Daubert et al. (*Journal of Texture Studies* 29, 427 (1998)).

Eq. 1

$$\sigma_f = \frac{2M_f}{\pi D^3} \left( \frac{H}{D} + \frac{1}{6} \right)^{-1}$$

5

Eq. 2

$$\theta_f = t_f \left( \frac{\pi \text{ (rad)}}{60 \text{ (s)}} \right)$$

*Gel Powder Production.* After thermal gelation, gels were held at 25 °C until internal temperature was less than 40 °C. Gels were then placed in a freezer for 16-18 hours at -5 °C. Frozen gels were dried in a 10-145-MR-TR Mechanically Refrigerated Freeze-Mobile freeze dryer with tray drying chamber (Virtis Research Equipment, Gardiner, New York USA). Shelf temperature was held between 26.7-37.8 °C with the 10-701 Control unit (Virtis Research Equipment, Gardiner, NY) with thermocouple inserted into the center of the gel. Gels were dried until moisture content was below 5%, as determined by a Computrac Max-50 Moisture Analyzer (Arizona Instrument Corp. Tempe, Arizona USA). Dried gels were crushed by hand, stored in airtight bags for 18 hours, and ground using a ZM-1 Brinkman Centrifugal Grinding Mill with a 24-tooth stainless-steel rotor (Brinkman Instruments Co., Westbury, New York USA) at 10,000 rpm for 60 seconds and a screen size of 50  $\mu$ m. Average particle size of ground protein powder was 27.3  $\mu$ m as determined by a Centrifugal Particle Size Analyzer SA-CP4 (V1.0) (Shimadzu Corporation, Kyoto, Japan). Finally, protein gel powders were stored at 25 °C in airtight bags.

*Solubility Determination.* Milled protein powders were dispersed (1% w/w) in deionized water and the pH adjusted with either 6N NaOH or 6N HCl to 7.0. Dispersions were centrifuged at 20,000  $\times$  g for 15 min and solubility was obtained from the

25



absorbance ratio of the supernatant and the dispersion before centrifugation. Absorbance was measured at 280 nm on a sample aliquot diluted 1:10 (vol/vol) in dissociating buffer (50 mM EDTA, 8 M urea at pH 10) (Britten et. al., *Journal of Dairy Science* 77, 676 (1994)). The term "soluble" was used to define samples having over 70% suspended  
5 particles after centrifugation at pH 7.0.

*Differential Scanning Calorimetry.* A Perkin Elmer DSC 7 (The Perkin Elmer Corporation, Norwalk, Connecticut USA) differential scanning calorimeter was used to assess the thermal denaturation of the gel powders for each processing condition. The DSC was calibrated and allowed to equilibrate for one hour prior to analysis. Dried  
10 protein powder was hydrated (10% w/w) and 20  $\mu$ L was loaded into an aluminum capsule and hermetically sealed. A similarly weighted, aluminum pan was filled with deionized-water and used as the reference. The scanning temperature was raised from 5 to 110  $^{\circ}$ C at a rate of 5  $^{\circ}$ C/min. Temperature at peak height and peak area was recorded.

*Electrophoresis.* The soluble protein samples were analyzed for hydrolysis by  
15 SDS-PAGE (sodium dodecylsulfate-polyacrylamide gel electrophoresis) with a Novex Midget electrophoresis unit (Novex, Novel Experimental Technology, San Diego, California USA). All procedures were followed according to the NuPAGE gel procedure for a Bis-Tris (MES) gel. A 30  $\mu$ l aliquot of 0.1% protein was injected into each well of the 10 wellled, 4-12% gradient polyacrylamide gel (Novex, Novel Experimental  
20 Technology, San Diego, CA). The gel was stained with a 0.1% Coomassie Blue solution (45% water, 45% methanol, 10% acetic acid) (Pierce Chemical Company, Rockford Illinois USA). A Molecular Dynamics personal densitometer (Molecular Dynamics, Sunnyvale, California USA) was used to determine the major protein species hydrolyzed by the various processing conditions. In addition, the densitometer allowed  
25 quantification of the hydrolyzed protein bands and their molecular weight range based on the MultiMark multi-colored standard used (Novex, Novel Experimental Technology, San Diego, CA).

*Rheological Analysis.* The protein powders were hydrated (10% w/w) and tested rheologically. Once solutions were placed in the measuring cup and the bob immersed in

the sample, solutions were coated with a thin layer of paraffin oil from Fisher Scientific Company (Fair Lawn, New Jersey USA) to prevent moisture loss.

*Shear Rate Ramps.* Tests were conducted on a Bohlin VOR Controlled Strain Rheometer (Bohlin Reoligi AB, Lund, Sweden) using a concentric cylinder geometry  
5 (C14). Selected shear rates were ramped from 0.9 to 116.0 s<sup>-1</sup> and back to 0.9 s<sup>-1</sup> for 650 s. Fresh samples were sheared at temperatures of 25, 50 and 75 °C

*Temperature Ramps.* Tests were conducted on a Bohlin VOR Controlled Strain Rheometer using a concentric cylinder geometry (C14). Temperatures were ramped from 5 to 90 °C and back to 5 °C at a shear rate of 46 s<sup>-1</sup> for 2220 s.

10 *pH Stability.* Tests were conducted on a Bohlin VOR Controlled Strain Rheometer using a concentric cylinder geometry (C14). Stability was tested at pH 4.0 and 8.0 at 25 °C and shear rates were ramped from 0.9 to 116.0 s<sup>-1</sup> and back to 0.9 s<sup>-1</sup> for 650 s.

*Frequency sweeps.* Analysis was performed on a StressTech Controlled Stress  
15 Rheometer (ReoLogica Instruments AB, Lund, Sweden) using a concentric cylinder geometry (CC25). Stress was held at 1.0 Pa and frequency was oscillated from 0.1 to 20.0 Hz and alternated between 25 and 90 °C for 688 s. All tests were performed within the identified linear viscoelastic region for the material at the temperatures tested.

## 20 2. Results and Discussion

*Gel procedure.* Whey protein solutions were gelled to denature and stabilize the derivitized powder. Gels were prepared according to Foegeding (*Journal of Texture Studies* 23, 337 (1992)), with the heating time extended from 30 to 45 minutes insuring adequate heat transfer in the aluminum freeze-drier pans. During preliminary rheological  
25 studies of the FS-II gels, the apparent viscosity of the protein powders in solution (10% w/w) sharply increased at 88 °C. If held at that temperature longer than 5 minutes the solution would gel, indicating a substantial portion of the protein had not denatured or had undergone reversible denaturation. Therefore, a 3-hour gelation time was applied to

all gel type solutions to promote more extensive protein denaturation and enhanced heat stability.

*Gel type determination.* Vane fracture tests and water holding analyses were conducted to distinguish protein gels rheologically and structurally. The vane attachment  
5 was used to quantify the stress and deformation (strain) in order to place the whey protein gels in distinct categories for comparative and classification purposes. Water-holding analysis was used to qualify water-holding trends, related to compositional characteristics of the various gel types.

*Vane.* Vane attachments sheared gels to fracture, offering a simple approach for  
10 gel classification. The peak fracture stress provided indication of gel strength, while vane rotation at fracture furnished an understanding of gel deformation characteristics. Vane experiments concluded that gelation time influenced stress at fracture values for all gel types ( $p \leq 0.05$ ). When comparing treatments in Figure 1a and Figure 1b, the lower fracture stresses for 45-minute gels may result from inadequate heating time and/or  
15 temperature (80 °C) to completely cure the gel structure. This effect may be due to an underestimation of the heat transfer effects of the aluminum gel pans or increased solution volume. The significance in the stress difference for the FS-II gels may also be attributed to enhanced thermal stability of whey protein solutions below pH 4.0, thereby requiring longer thermal treatments to denature the proteins and produce networks. This  
20 speculation is supported by Jelen et al. (*Milchwissenschaft* 38, 215 (1984)), who demonstrated that below pH 3.5 protein solutions resisted coagulation for an average of 30 minutes at 80°C. In addition, Harwalkar (*Journal of Dairy Science* 63, 1052 (1980)) noted slower thermal denaturation rates of whey proteins at low pH than those reported at near neutral pH. Patocka et al. (*Milchwissenschaft* 42, 700 (1987)) found  $\beta$ -LG was  
25 virtually heat stable below pH 3.8-3.6. Therefore, little protein denaturation occurred at the 45-minute thermal treatment due to the stabilizing effect of low pH. An increase in heating time resulted in more denaturation and complexing between proteins, culminating in a higher fracture stress.

Although FS-I and FS-II gels had the same protein concentration and ionic strength, the fracture stress and deformation differences were significant. Errington et al. (*Journal of Agricultural and Food Chemistry* 46, 2963 (1998)) noted that gels formed below pH 4.0 were weak and brittle (FS-II gels), in contrast to the same formulation of salt and protein formed at pH >6.0 (FS-I gels). This decrease in deformability of the FS-II gels was the result of fewer intermolecular disulfide linkages due to minimal sulfhydryl oxidation and sulfhydryl- disulfide exchange at low pH. This hypothesis helps qualify the larger deformation noted in the <pH 4.0 FS-II sample verses the <pH 3.5 FS-II in Figures 1a and 1b; a lower solution pH resulted in fewer disulfide bonds and therefore, diminished deformability.

The stress difference between the FS-I and FS-II gels may be a result of acid hydrolysis of proteins at low pH. Britten et al. (*Journal of Dairy Science* 77, 676 (1994)) demonstrated that gels formed at pH 4.0 had fewer large aggregates formed with increasing hydrolysis. At that pH, peptides are believed to interfere with the formation of large aggregates, resulting in a large proportion of small aggregates. In addition, Langton et al. (*Journal of Food Hydrocolloids* 5, 523 (1992)) documented gels prepared at pH 3.5 have networks of short thin strands (~4 nm in diameter) with several strands intersecting at one junction, while gel networks formed at pH 7.0 and 6.5 were composed of longer strands of equal or greater thickness than those formed at pH 3.5. These influences would change the intermolecular interactions and thereby alter the stress required to fracture the matrix, providing additional support for the lower fracture stresses recorded for the FS-II gels at both the <3.5 and <4.0 pH.

There were no obvious trends for various salt concentrations for stress and deformation at fracture in the mixed, particulate, or FS-I gels for either gelation time. However, in the FS-II gels (Figure 1c), a pattern of increasing deformation and increasing stress with decreasing salt concentrations for the 45 minute gels at pH values of <4.0 and <3.5 was observed. In the 3-hour gels however, there was a shift in the pattern, increasing deformation and decreasing stress with decreasing salt concentrations at both pH values. This shift in salt trends from the 45 minute to the 3-hour gel time may

be attributed to an increase in charge shielding over the longer incubation time. The solutions with higher salt concentrations have more time to orient themselves around the positively charged protein molecules, while decreasing the repulsion of like charges between protein species and permitting aggregation. Aggregation of proteins results in a more "particulate" type of FS-II gel structure, presented by gels with low deformability and higher fracture stress. This observation was supported by Harwalker et al. (1985) who found those protein solutions at low pH but high ionic strengths resulted in lower ionic forces but enhanced hydrophobic interactions, increasing coagulation and therefore, gelation.

10       *Particle size.* After thermal gelation and vane experimentation, gels were frozen, freeze-dried and ground. Particle size analysis was conducted on the resulting dry protein powders, and average particle size of 25.3  $\mu\text{m}$  was determined (Figure 2).

*Solubility.* Solubility is an important characteristic for functional application of proteins in food systems, serving as a prerequisite for derived functional properties like emulsification, foaming, and gelation (de Wit, *Journal of Dairy Science* 73, 3602 (1990)). A solubility test therefore served as a means of elimination of gel powders based on suitability for further analyses and applicability to industrial use. Powders with low solubility could not be analyzed effectively by gel electrophoresis, DSC, or rheologically and were therefore excluded from further evaluation. Seven powders exhibiting solubility values of  $\geq 70\%$  at pH 7.0 were labeled for continued evaluation. Therefore, all subsequent discussion of experimental analysis was only conducted on the soluble gel powders. Table 1 gives the network types and physical properties of whey protein gels. Table 2 serves as sample identification key, detailing salt concentrations and solution pH and provides solubility values for all gel types.

Table 1. Network types and physical properties of whey protein gels.

Gel Type	Fracture Rheology		Appearance	Water Holding
	Stress	Deformation		
Stranded				
I) pH>pI	+++ <sup>a</sup>	+++	Translucent	+++
II) pH<pI	+	+	Translucent	?
Mixed	++++	++	Cloudy/opaque	++
Particulate	+++	+++	Opaque	+

Adapted from Foegeding et al., in J. Witaker et al., *Functional Properties of Proteins and Lipids*, 145-157 (1998)(New York: American Chemical Society)

- 5 <sup>a</sup>The number of "+" symbols represents the relative magnitude of a property among gel types, with the greater number of symbols indicating a greater magnitude, and "?" indicating no relevant data.

Table 2. Dried WPI powder sample identification, thermal gel time, concentration of  
10 salts used in gelation, pH and solubility.

Sample ID	Gel Time	pH	mM NaCl	mM CaCl <sub>2</sub>	Gel Type	Solubility
7H	45 min	3.93	50	0	FS-II (pH<4)	61.4
7G		3.99	20	0		70.0
7I		3.98	0	0		67.8
7K	45 min	3.45	50	0	FS-II (pH<3.5)	61.1
7J		3.40	20	0		71.2
7L		3.40	0	0		70.3
7F	45 min	6.77	50	0	FS-I	6.7
7E		6.77	20	0		8.0
7D	45 min	6.77	25	5	Mixed	6.0
7C		6.77	20	5		23.3
7B	45 min	6.77	40	5	Particulate	14.6
7A		6.77	30	10		6.4
1	3 hours	3.88	50	0	FS-II (pH<4)	68.8
2		3.94	20	0		68.8
3		3.83	0	0		74.9
4	3 hours	3.37	50	0	FS-II (pH<3.5)	78.3
5		3.28	20	0		79.2
6		3.36	0	0		88.2
7	3 hours	6.82	50	0	FS-I	5.3
8		6.82	20	0		4.1
9	3 hours	6.82	25	5	Mixed	13.7
10		6.82	20	5		11.8
11	3 hours	6.82	40	5	Particulate	9.4
12		6.82	30	10		22.6

\*Corrected solubility (in percent) based on native WPI=100% soluble. Method adapted from Britten et al., *Journal of Dairy Science* 77 676 (1994).

*Differential scanning calorimetry.* DSC was conducted to determine the percent denaturation and the shift in denaturation temperature (from native WPI) imposed by each gelation process. According to Table 3, no trends in denaturation temperature and salt concentration were observed. Although increasing salt did have a stabilizing effect on the protein, decreasing the denaturation and resulting in a higher calculated % native protein. In the 3-hour gelation treatment, sample 4, made with 50 mM NaCl, had a native protein concentration of 10.49% while sample 5, made with 20 mM NaCl, had a 6.58% and sample 6, made with 0mM NaCl, had a 4.69%. This trend was also noted by Harwalkar et al. (*Milchwissenschaft* 40, 31 (1985)), who documented higher ionic strength ( $\Gamma/2$ ) values increased the rate of denaturation, but a protective effect from denaturation was noticed when  $\Gamma/2$  was increased from 0 to 0.1. This response may be due to the increase in hydration usually exhibited by globular proteins around  $\Gamma/2$  of 0.15 (S. Damodaran, in O. Fennema, *Food Chemistry* 321-430 (3d Ed. 1996)). The stability could arise from the withdrawal of hydrophobic groups of protein from water leading to a compact form. At lower ionic strength, the selective binding of chloride ions by the protein cationic sites may give rise to a more compressed form. The experimental NaCl concentrations in this research were all within the ionic strength range of 0 to 0.1, providing a protective effect and decreasing the denaturation with increasing salt.

20 Table 3. Percent native protein and temperature of denaturation as determined by DSC for protein gel powders exhibiting solubility of 70% or greater.

Sample ID	% Native Protein*	Denaturation Temp (C)
Native	100.00	76.94
3	26.21	87.67
4	10.49	86.69
5	6.58	86.05
6	4.69	88.29
7G	42.04	87.55
7J	41.01	87.16
7L	44.80	87.16

Another observation from DSC analysis was a decrease in percent native protein with an increased gelation time. The 45-minute gel powders had a native protein concentration of approximately 42% while the 3-hour treatment had concentrations that ranged from 26 to 2.5 % depending on pH and ionic strength. In addition, an upward  
 5 shift (from native WPI) in denaturation temperature of the 45-minute and 3-hour gels was noted and may be attributed to the increased heat stability imparted by the reduced pH of the gelation conditions. DSC studies by de Wit et al. (*Journal of Dairy Science* 67, 2701 (1984)) showed greater thermal stability at pH 3.0 than at neutral pH evidenced by the increased transition temperature (e.g. denaturation temperature). In addition, Harwalkar  
 10 (*Journal of Dairy Science* 63, 1043 (1980)) found, via optical rotation, denaturation of whey proteins at a solution pH of 2.5 was detectable only at 75 °C or above. At higher pH (e.g., at pH 7), initiation of thermal denaturation was detected at a much lower temperature, 65 °C, exemplifying the thermal stability and higher transition temperatures noted in the proteins below pH 4.0.

15       **Electrophoresis.** The electrophoretic patterns of SDS-PAGE of WPI heated (80 °C for 45 min and 3-hr) in HCl at pH values below 4.0 or 3.5 with varying NaCl concentrations were exemplified (Gel not shown). Breakdown of molecular weights via densitometer measurements of proteins, protein fragments, and derivatives are presented in Table 4. Control banding patterns of WPI (lane 7) showed peaks corresponding to α-  
 20 LA (14 kDa), β-LG (18 kDa), and a minor peak of BSA (66 kDa). The peak at 48 kDa in the native WPI may be due to hydrolysis of the larger molecular weight BSA or association of the smaller massed proteins, β-LG and α-LA not effected by the denaturant dithiothreitol (DTT). All peaks present in native WPI decreased with increased heating time at low pH values (<pH 3.5 and <pH 4.0), with new bands  
 25 appearing between α-LA and β-LG while some migrating ahead of α-LA. Harwalkar (*Id.*) obtained similar electrophoretic patterns with a 2.0% TCA-insoluble fraction of heated whey. These results were attributed to structural alterations in α-LA, β-LG, or both due to low pH thermal treatments. In addition, Lupano (*Journal of Dairy Science* 77, 2191 (1994)) observed by SDS-PAGE many bands in the molecular mass range of 3.5



to 17 kDa after  $\beta$ -LG (0.5% in .02 M HCl; pH 2.5) was heated at 90 °C for 1 hr. The heat treatment in acidic conditions produce partial denaturation and cleavage of peptide bonds.

Table 4. Densitometer Values (in percent) of electrophoresis bands.

Lane	Sample ID	Molecular Weight of Hydrolyzed/Polymerized Protein Fragments									
		82 kDa	66 kDa	58 kDa	48 kDa	36 kDa	26 kDa	18 kDa	14 kDa	7 kDa	4 kDa
2	3		1.74	0.68		4.77	1.30	58.82	31.66	1.03	
3	4						0.53	66.00	31.81	1.67	
4	5			0.49		2.60		61.01	32.24	3.66	
5	6	0.44	1.05		5.47	3.80	53.16		30.56	4.52	1.00
6	6	0.22	0.76		4.25	2.48	55.90		29.30	4.95	2.14
7	native		6.08		3.17			58.66	32.09		
8	7G		5.61	0.59	4.60			56.78	32.43		
9	7J		3.53		3.08			61.08	32.31		
10	7L		2.66		1.76			63.94	31.65		

\* Lane 1 was a MultiMark™ molecular weight marker.

Further electrophoretic observations show a shift in fragment distribution between 26 and 18 kDa for sample 6. The shift in molecular weight may be attributed to deamidation of the Asn and Gln in  $\beta$ -LG due to the low pH thermal treatment. Harwalkar (*Journal of Dairy Science* 63, 1043 (1980)) found proteins thermally treated at pH 2.5 were  
5 unchanged in molecular size but altered in structure as determined by increased optical rotation measurements. This chemical alteration may have caused an increase in net charge of the  $\beta$ -LG and a structural change, altering the DTT binding and resulting in  $\beta$ -LG banding as a larger protein.

A low percentage of a high molecular mass band (82 kDa) was observed for  
10 sample 6, which may indicate the presence of aggregates, although DTT should have prevented this occurrence. While low pH inhibits disulfide interchange reactions, Darbre (1986) presented evidence for their presence at low pH values, although the process is not rapid. Thus, a certain degree of disulfide interchange reactions could be expected, mainly for the 3-hour thermal treatment samples. However this observation was not made for  
15 FS-II (<pH 3.5) gels containing NaCl, due to the stabilizing effect of salts.

Another possible explanation of the 82 kDa band for sample 6 is  $\beta$ -elimination of BSA. These reactions are usually carried out by heating the solution with  $K^+$ ,  $OH^-$  or  $Na^+$ , and involve the loss of a proton at a  $\beta$ -carbon and the formation of an alkene (Fessenden et al., 1993). The result of  $\beta$ -elimination is the formation of pi bonds and  
20 therefore an alteration in structure. This structural modification may affect DTT binding and thus result in different banding patterns for those BSA proteins having under gone this elimination reaction.

In addition, trends in salt concentration and acid hydrolysis were noted from electrophoretic results. An increase in ionic strength of the protein powders for the 3-  
25 hour heating time had a stabilizing effect on the rate of acid hydrolysis, yielding fewer low molecular weight bands. Inorganic salts, such as NaCl, in low-ionic-strength aqueous solutions can increase the stability of folded conformations, in order to minimize the protein surface in contact with the solvent (Creighton, *Proteins: Structures and Molecular Properties* (2d ed. 1993)). It has also been found that salt bridges can form at  
30 low ionic strengths (<0.1M) which can increase the stability of the folded state because

ionization and conformational stability are linked functions. The greater the stabilizing effect of a salt bridge, the less susceptible it is to disruption by extremes of pH (Id.). The enhanced stability of the folded protein conformation with increasing salt can decrease the interaction with the acidic environment, thereby decreasing the hydrolysis.

5        *Rheological analysis.* The following results were obtained for shear rate ramps, temperature ramps, pH stability studies and frequency sweep studies.

*Shear rate ramps.* Shear ramps were conducted to determine stability over the range of 0.9 to 116 s<sup>-1</sup> at 25 °C (Figure 3). Sample 6 possessed the highest apparent viscosity over the selected test range. Therefore, based on solubility, electrophoretic  
10 patterns and apparent viscosity, sample 6 was selected as the best possibility for a thickener and marked for further study.

      Further shear ramps were performed at 25, 50, and 75 °C to evaluate the influence of temperature on the apparent viscosity of sample 6 (Figure 4). Sample 6 displayed little variation in apparent viscosity over the selected temperatures.

15        *Temperature ramps.* Although a layer of paraffin oil was applied to the surface of the sample before temperature ramps were performed, a moisture analysis was conducted before and after ramps to establish apparent viscosity differences were a characteristic of the material and not a consequence of drying. Only data on samples below 1% moisture difference before and after analysis were kept. In Figure 5, sample 6 temperature ramps  
20 revealed little variation in the apparent viscosity from 10 to 55 °C, however from 55 to 90 °C there is an increase of 1.3 Pa s. The increase in viscosity at the higher temperatures may be attributed to the additional denaturation of native or renatured protein structures. This theory is supported by the slightly higher viscosity recorded for the 90 to 5 °C temperature ramp. The higher apparent viscosity is due to protein unfolding and  
25 interaction, resulting in a larger hydrodynamic radius of the particles and hence increased viscosity.

*pH stability.* Shear ramps were conducted on sample 6 at pH values of 4 and 8 to determine pH effects on apparent viscosity over the shear rates selected (Figure 6).

      Sample 6 exhibited little variation in apparent viscosity over the pH values selected for  
30 the up curve of the shear ramp. However, on the initial ramp up, the solution at pH 4.0

had a substantially higher apparent viscosity than the sample at pH 8.0. This observation may be a result of increased interaction of the protein fragments at lower pH due to native protein unfolding.

*Frequency sweep.* Small amplitude oscillatory rheology was performed on sample 6 at temperatures of 25 and 90 °C to examine viscoelasticity. Although a layer of paraffin oil was applied to the surface of the sample before frequency sweeps were performed, a moisture analysis was conducted before and after to establish results were not a consequence of drying. Only data on samples, which possessed less than 1% moisture difference before and after analysis was used. Viscoelastic properties are typically described with three parameters, the phase angle ( $\delta$ ), the storage modulus ( $G'$ ), and the loss modulus ( $G''$ ). The moduli show distinct behaviors when subjected to a frequency sweep and can reveal general characteristics of the sample. As pictured in Figure 7a, an increased frequency resulted in an increased  $G'$  value. The phase angle is equivalent to the  $\tan^{-1}(G''/G')$  and ranges from 0 to 90°. The lower the phase angle, the more solid-like the material. According to Figure 7b, for all sweeps the phase angle was below 25°, indicating the storage modulus dominated the loss modulus at every frequency. The coupling of the low phase angle and linearly increasing storage modulus is indicative of a weak gel network.

Four sweeps were performed on a single solution at temperatures alternating between 25 and 90 °C to elucidate temperature effects on gel network interactions. Comparing sweep 1 versus sweep 2 in Figures 7a and 7b, the storage modulus increased and the phase angle decreased at 90 °C, explained by protein unfolding and increased hydrophobic interactions. As temperature was lowered for sweep 3, the newly unfolded proteins from sweep 2 were able to participate in network formation yielding a higher  $G'$ . Sweep 4 and sweep 2, each at 90 °C demonstrated similar rheological behavior, typical of diminished hydrogen bonding at elevated temperatures. Following the initial sweep at 90 °C, subsequent sweeps produced comparable rheological results, supporting the claim of a temperature independent gel structure (see Figure 4).

The foregoing is illustrative of the present invention, and is not to be construed as limiting thereof. The invention is defined by the following claims, with equivalents of the claims to be included therein.

We claim:

1. A dry protein product useful as a fat substitute or thickening agent, said product comprising:

a dry powder produced by hydrolyzing, gelling, drying and then powdering a whey protein;

said powder having a viscosity of at least about one-half pascal second at 46 reciprocal seconds for one half hour in a steady state shear test at 25°C when reconstituted as a 10% weight/weight solution in deionized water at a pH of 4; and

said powder having a phase angle of five to forty degrees at frequencies of from .01 to 20 Hertz in a frequency sweep test at 25°C when reconstituted as a 10% weight/weight solution in deionized water; and

said powder having a solubility of at least 50% at 25°C when reconstituted as a 1% weight/weight solution in deionized water at a pH of 7.

2. A dry protein product according to claim 1,

said powder having a viscosity of at least about one-half pascal second at 46 reciprocal seconds for one half hour in a steady state shear test at 25°C when reconstituted as a 10% weight/weight solution in deionized water at a pH of 8; and

said powder having a viscosity of at least about one-half pascal second at 46 reciprocal seconds for one half hour in a steady state shear test at 75°C when reconstituted as a 10% weight/weight solution in deionized water at a pH of 4.

3. A dry protein product according to claim 1, said dry powder having a particle size of 1 to 100  $\mu\text{m}$ .

4. A dry protein product according to claim 1, said dry powder having a phase angle less than 20 in said frequency sweep test.

5. A dry protein product according to claim 1, further comprising from about 1 to 90 percent by weight of pregelatinized starch.

6. A method of making a dry powdered protein product useful as a fat substitute or thickening agent, said method comprising the steps of:

hydrolyzing a whey protein preparation to produce a hydrolyzed whey protein  
5 preparation; then  
gelling said hydrolyzed whey protein preparation to form a whey protein gel; then  
drying said whey protein gel to produce a dried whey protein gel; and  
powdering said dried whey protein gel.

10 7. A method according to claim 6, wherein said hydrolyzing step is an acid hydrolysis step.

8. A method according to claim 7, wherein said acid hydrolysis step is carried out with an acid selected from the group consisting of hydrochloric acid, sulfuric acid, citric  
15 acid, acetic acid, phosphoric acid, polyphosphoric acid, phytic acid, oxalic acid, succinic, maleic acid, fumaric acid, and lactic acid.

9. A method according to claim 6, wherein said hydrolyzing step is an enzyme hydrolysis step.

20

10. A method according to claim 6, wherein said gelling step is carried out under conditions that produce a weak fine-stranded gel.

11. A method according to claim 6, wherein said gelling step is carried out at a  
25 pH of 4 or less.

12. A method according to claim 6, wherein said gelling step is carried out under conditions that produce an FS-II gel.



13. A method according to claim 6, wherein said drying step is carried out by dehydrating, freeze-drying, or spray drying.

14. A method according to claim 6, wherein said powdering step is carried out  
5 under conditions that produce a powder having an average particle size of 1 to 100  $\mu\text{m}$ .

15. A method of making a reduced fat formulated edible food product for human consumption, said method comprising the steps of:

providing a dry protein powder according to claim 1; and

10 mixing said dry protein powder with the remaining ingredients for said edible food product, said dry protein powder included in an amount sufficient to make an organoleptic contribution to said food product, so that said dry protein powder is hydrated in said food product.

15 16. A method according to claim 15, wherein said food product is a frozen food product.

17. A method according to claim 15, wherein said food product is a refrigerated food product.

20

18. A method according to claim 15, wherein said food product is a cooked food product.

19. A method according to claim 15, wherein said food product is a foamed food  
25 product.

20. In a formulated edible food product for human consumption normally containing fat in a sufficient concentration to make an organoleptic contribution to said food product, the improvement comprising:

replacing at least a portion of said fat in the food product with a hydrated dry protein powder according to claim 1.

21. A formulated edible food product according to claim 20, wherein said product  
5 is a frozen food product.

22. A formulated edible food product according to claim 20, wherein said product is a refrigerated food product.

23. A formulated edible food product according to claim 20, wherein said product  
10 is a cooked food product.

24. A formulated edible food product according to claim 20, wherein said product is a foamed food product.

15 25. A method of making a thickened formulated edible food product for human consumption, said method comprising the steps of:  
providing a dry protein powder according to claim 1; and  
mixing said dry protein powder with the remaining ingredients for said edible food product, said dry protein powder included in an amount sufficient to increase the  
20 viscosity of said food product, and so that said dry protein powder is hydrated in said food product.

26. A method according to claim 25, wherein said food product is a frozen food product.

25 27. A method according to claim 25, wherein said food product is a refrigerated food product.

28. A method according to claim 25, wherein said food product is a cooked food  
30 product.

29. A method according to claim 25, wherein said food product is a foamed food product.

5        30. In a formulated edible food product for human consumption the consistency of which is desired to be thickened, the improvement comprising:

including a hydrated dry protein powder according to claim 1 in said product in an amount sufficient to increase the viscosity of said product.

10       31. A formulated edible food product according to claim 30, wherein said product is a frozen food product.

32. A formulated edible food product according to claim 30, wherein said product is a refrigerated food product.

15

33. A formulated edible food product according to claim 30, wherein said product is a cooked food product.

34. A formulated edible food product according to claim 30, wherein said product  
20 is a foamed food product.

35. A method of making a formulated edible food product for human consumption having water bound therein, said method comprising the steps of:

providing a dry protein powder according to claim 1; and

25       mixing said dry protein powder with the remaining ingredients for said edible food product, said dry protein powder included in an amount sufficient enhance the retention of water in said food product, and so that said dry protein powder is hydrated in said food product.

36. A method according to claim 35, wherein said food product is a frozen food product.

37. A method according to claim 35, wherein said food product is a refrigerated  
5 food product.

38. A method according to claim 35, wherein said food product is a cooked food product.

10 39. A method according to claim 35, wherein said food product is a foamed food product.

40. In a formulated edible food product normally containing a binder to retain water in said food product, the improvement comprising:

15 replacing at least a portion of said binder in the food product with a hydrated dry protein powder according to claim 1 in an amount sufficient to enhance the retention of water in said food product.

41. A formulated edible food product according to claim 40, wherein said product  
20 is a frozen food product.

42. A formulated edible food product according to claim 40, wherein said product is a refrigerated food product.

25 43. A formulated edible food product according to claim 40, wherein said product is a cooked food product.

44. A formulated edible food product according to claim 40, wherein said product is a foamed food product.

**THERMAL AND PH STABLE PROTEIN THICKENING AGENT  
AND FAT SUBSTITUTE AND METHOD OF MAKING THE SAME**

5

**Abstract of the Disclosure**

A dry protein product useful as a thickening agent and fat substitute is provided. The powder can be readily reconstituted at room temperature, or refrigerated conditions, and can be used in frozen or refrigerated foods, at room temperature, and in cooking  
10 applications. When reconstituted the product preferably has a creamy, non-gritty texture, although texture and consistency of the product can be adjusted depending upon the desired application. The dry powder of the invention may be prepared by hydrolyzing a protein preparation (typically, a whey protein preparation) to produce a hydrolyzed whey protein preparation; then gelling the hydrolyzed whey protein preparation to form a whey  
15 protein gel; then drying the whey protein gel; and powdering the whey protein gel. Food products containing the powder in hydrated form, including both frozen dessert products, beverages and cooked products, are also disclosed.

## PCT COOPERATION TREATY

PCT

## NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Commissioner  
 US Department of Commerce  
 United States Patent and Trademark  
 Office, PCT  
 2011 South Clark Place Room  
 CP2/5C24  
 Arlington, VA 22202  
 ETATS-UNIS D'AMERIQUE  
 in its capacity as elected Office

<b>Date of mailing</b> (day/month/year) 05 July 2001 (05.07.01)	
<b>International application No.</b> PCT/US00/17975	<b>Applicant's or agent's file reference</b> 5051-461.WO
<b>International filing date</b> (day/month/year) 30 June 2000 (30.06.00)	<b>Priority date</b> (day/month/year) 14 July 1999 (14.07.99)
<b>Applicant</b> HUDSON, Heather, M. et al	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:  
 30 January 2001 (30.01.01)

☐ in a notice effecting later election filed with the International Bureau on:  
 \_\_\_\_\_

2. The election ☒ was  
☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO  
 34, chemin des Colombettes  
 1211 Geneva 20, Switzerland

Facsimile No.: (41-22) 740.14.35

Authorized officer

H. Zhou

Telephone No.: (41-22) 338.83.38